GenCore version 5.1.6 Copyright (c) 1993 - 2005 Compugen Ltd.

OM protein - protein search, using sw model

March 16, 2005, 12:20:02; Search time 101.333 Seconds Run on:

(without alignments)

103.051 Million cell updates/sec

US-10-822-677-12 Title:

Perfect score: 130

1 HSDGTFTSELSRLRESARLQRLLQGLV 27 Sequence:

BLOSUM62 Scoring table:

Gapop 10.0 , Gapext 0.5

2105692 seqs, 386760381 residues Searched:

Total number of hits satisfying chosen parameters: 2105692

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

A Geneseq 16Dec04:* Database:

1: geneseqp1980s:*

2: geneseqp1990s:* 3: geneseqp2000s:*

4: geneseqp2001s:*

5: geneseqp2002s:*

6: geneseqp2003as:* 7: geneseqp2003bs:*

8: geneseqp2004s:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

| Result No. | Score | % Query Match | Length | DB | ID | Description |
|--------------------------------------|---|--|--|---------------------------------|--|--|
| 1 2 3 4 5 6 7 8 | 130 130 127 127 127 127 127 127 127 | 100.0 100.0 97.7 97.7 97.7 97.7 97.7 97.7 | 27 27 27 27 27 27 27 27 27 | 4 6 1 1 1 2 2 | AAB91259 ABR40227 AAP20383 AAP20398 AAP30021 AAP30014 AAP30038 AAW37793 AAW71676 | Aab91259 Secretin Abr40227 Canine se Aap20383 Protected Aap20398 Secretin Aap30021 Synthetic Aap30014 27-Desami Aap30038 Pig Secre Aaw37793 Porcine s Aaw71676 Secretin- |

| 10 | 127 | 97.7 | 27 | 2 | AAY50236 | Aay50236 | Neutrophi |
|-----|-----|------|-----|---|----------|--------------|-----------|
| 11 | 127 | 97.7 | 27 | 4 | AAB70901 | Aab70901 | Porcine s |
| 12 | 127 | 97.7 | 27 | 4 | AAB91262 | Aab91262 | Secretin |
| 13 | 127 | 97.7 | 27 | 4 | AAB50844 | Aab50844 | Pig prote |
| 14 | 127 | 97.7 | 27 | 5 | AAE23673 | Aae23673 | Heptacosi |
| 15 | 127 | 97.7 | 27 | 5 | ABB06679 | Abb06679 | Mammalian |
| 16 | 127 | 97.7 | 27 | 5 | AAE23659 | Aae23659 | Heptacosi |
| 17 | 127 | 97.7 | 27 | 5 | ABB08014 | · Abb08014 | Human sec |
| 18 | 127 | 97.7 | 27 | 5 | ABB04453 | Abb04453 | Secretin |
| 19 | 127 | 97.7 | 27 | 5 | ABB81203 | Abb81203 | Secretin |
| 20 | 127 | 97.7 | 27 | 6 | ABR40226 | Abr40226 | Porcine s |
| 21 | 127 | 97.7 | 27 | 6 | ABP56898 | Abp56898 | Secretin |
| 22 | 127 | 97.7 | 27 | 7 | ADD69986 | Add69986 | Vasoactiv |
| 23 | 127 | 97.7 | 27 | 8 | ADP74185 | Adp74185 | Secretin |
| 24 | 127 | 97.7 | 28 | 1 | AAP30063 | Aap30063 | Recombina |
| 25 | 127 | 97.7 | 28 | 1 | AAP30062 | | 27-desami |
| 26 | 127 | 97.7 | 33 | 1 | AAP70421 | Aap70421 | Sequence |
| 27 | 126 | 96.9 | 27 | 1 | AAP60647 | | Secretin |
| 28 | 126 | 96.9 | 27 | 2 | AAR93024 | Aar93024 | Human glu |
| 29 | 126 | 96.9 | 27 | 3 | AAB08187 | Aab08187 | Amino aci |
| 30, | 126 | 96.9 | 27 | 4 | AAB70890 | Aab70890 | Human sec |
| 31 | 126 | 96.9 | 27 | 4 | AAB91261 | | Secretin |
| 32 | 126 | 96.9 | 27 | 5 | AAU85988 | | Modified |
| 33 | 126 | 96.9 | 27 | 6 | ABR40225 | | Human sec |
| 34 | 126 | 96.9 | 27 | 7 | ADC87728 | | Human sec |
| 35 | 126 | 96.9 | 27 | 8 | ADN03397 | | Exemplary |
| 36 | 126 | 96.9 | 27 | 8 | ADR42232 | | Secretin |
| 37 | 126 | 96.9 | 28 | 1 | AAP91869 | _ | Human sec |
| 38 | 126 | 96.9 | 31 | 1 | AAP90130 | <u>-</u> | Human sec |
| 39 | 126 | 96.9 | 121 | 5 | AA021664 | | Human sec |
| 40 | 123 | 94.6 | 27 | 4 | AAB91263 | | Secretin |
| 41 | 122 | 93.8 | 27 | 2 | AAW37796 | | Porcine s |
| 42 | 120 | 92.3 | 27 | 1 | AAP30049 | | Intermedi |
| 43 | 120 | 92.3 | 27 | 6 | ABU07569 | | Human sec |
| 44 | 119 | 91.5 | 27 | 1 | AAP30551 | - | Sequence |
| 45 | 117 | 90.0 | 30 | 1 | AAP60646 | Aap60646 | Mammalian |

ALIGNMENTS

```
RESULT 1
AAB91259
     AAB91259 standard; peptide; 27 AA.
XX
AC
     AAB91259;
XX
     22-JUN-2001 (first entry)
\mathsf{D}\mathbf{T}
XX
     Secretin peptide SEQ ID NO:435.
DE
XX
     Protection; endogenous therapeutic peptide; peptidase; conjugation;
ΚW
     blood component; modification; succinimidyl; maleimido group; amino;
KW
     hydroxyl; thiol; hormone; growth factor; neurotransmitter.
KW
XX
os
     Homo sapiens.
os
     Synthetic.
```

```
XX
PN
     WO200069900-A2.
XX
PD
     23-NOV-2000.
XX
     17-MAY-2000; 2000WO-US013576.
PF
XX
PR
     17-MAY-1999;
                    99US-0134406P.
PR
     10-SEP-1999;
                    99US-0153406P.
     15-OCT-1999;
PR
                    99US-0159783P.
XX
PA
     (CONJ-) CONJUCHEM INC.
XX
PI
     Bridon DP, Ezrin AM, Milner PG, Holmes DL, Thibaudeau K;
XX
DR
    WPI; 2001-112059/12.
XX
PT
    Modifying and attaching therapeutic peptides to albumin prevents
PT
    peptidase degradation, useful for increasing length of in vivo activity.
XX
PS
    Disclosure; Page 340; 733pp; English.
XX
CC
    The present invention describes a modified therapeutic peptide (I)
CC
     comprising a therapeutically active amino acid region (III) and a
CC:
     reactive group (II) (e.g. succinimidyl and maleimido groups) attached to
     a less therapeutically active amino acid region (IV), which covalently
CC
CC
    bonds with amino/hydroxyl/thiol groups on blood components to form a
CC
    peptidase stabilised therapeutic peptide composed of 3-50 amino acids.
CC
     (I) are useful for modifying therapeutic peptides e.g. hormones, growth
CC
     factors and neurotransmitters, to protect them from peptidase activity in
CC
    vivo for the treatment of various disorders. Endogenous therapeutic
CC
    peptides are not suitable as drug candidates as they require frequent
CC
    administration due to rapid degradation by peptidases in the body.
CC
    Modifying and attaching therapeutic peptides to albumin prevents or
    reduces the action of peptidases to increase length of activity (half
CC
CC
     life) and specificity as bonding to large molecules decreases
CC
    intracellular uptake and interference with physiological processes.
CC
    AAB90829 to AAB92441 represent peptides which can be used in the
CC
    exemplification of the present invention
XX
SO
     Sequence 27 AA;
  Query Match
                          100.0%; Score 130; DB 4; Length 27;
  Best Local Similarity
                         100.0%; Pred. No. 1e-11;
 Matches
           27; Conservative
                                0; Mismatches
                                                                            0;
                                                  0; Indels
                                                                0; Gaps
           1 HSDGTFTSELSRLRESARLQRLLQGLV 27
Qу
              1 HSDGTFTSELSRLRESARLQRLLQGLV 27
RESULT 2
ABR40227
    ABR40227 standard; peptide; 27 AA.
XX
AC
    ABR40227;
XX
```

```
DT
     12-JUN-2003 (first entry)
XX
DE
    Canine secretin.
XX
KW
    Dog; asthma; anion efflux; secretin receptor; antiasthmatic; secretin.
XX
OS
    Canis sp.
XX
    WO2003011327-A2.
PN
XX
PD
     13-FEB-2003.
XX
ΡF
    26-JUL-2002; 2002WO-GB003433.
XX
PR
    27-JUL-2001; 2001GB-00018383.
XX
PA
     (PHAR-) PHARMAGENE LAB LTD.
XX
PΙ
    Davis RJ, Clark K;
XX
DR
    WPI; 2003-248115/24.
XX
PT
    Treating asthma in a patient suffering from asthma, by administering to
PT
     the patient an agent e.g., secretin which triggers anion efflux in
PT
     respiratory tissue by the activation of a secretin receptor.
XX
PS
    Disclosure; Fig 1; 40pp; English.
XX
CC
     The invention relates to a novel method for treating asthma in a patient
CC
     suffering from asthma, involving administering to the patient an
    effective amount of an agent which triggers anion efflux in respiratory
CC
    tissue by the activation of a secretin receptor. The method of the
CC
CC
    invention has antiasthmatic activity. The method is useful for treating
CC
    asthma in a patient. The present sequence is used in the exemplification
CC
    of the invention
XX
SO
    Sequence 27 AA;
  Query Match
                          100.0%; Score 130; DB 6; Length 27;
                          100.0%; Pred. No. 1e-11;
 Best Local Similarity
 Matches
            27; Conservative
                                0; Mismatches
                                                  0; Indels
                                                                            0;
                                                                 0; Gaps
            1 HSDGTFTSELSRLRESARLQRLLQGLV 27
Qу
              1 HSDGTFTSELSRLRESARLQRLLQGLV 27
RESULT 3
AAP20383
    AAP20383 standard; peptide; 27 AA.
ID
XX
AC
    AAP20383;
XX
DT
     25-MAR-2003
                 (revised)
DT
     30-NOV-1992
                  (first entry)
XX
DE
     Protected heptacosapeptide.
```

```
XX
KW
     Secretin; pancreatic juices; gastric juices.
XX
os
     Synthetic.
XX
FΗ
                     Location/Qualifiers
     Key
     Modified-site
FT
                     /note= "p-amethoxybenzyloxycarbonyl-protected"
FT
FT
     Modified-site
FT
                     /note= "NG-mesitylene sulphonylarginine"
FT
     Modified-site
\Gamma T
                     /note= "NG-mesitylene sulphonylarginine"
FT
     Modified-site
FT
                     /note= "NG-mesitylene sulphonylarginine"
FT
     Modified-site
FT
                     /note= "NG-mesitylene sulphonylarginine"
XX
PN
     JP56158747-A.
XX
₽D
     07-DEC-1981.
XX
PF
     12-MAY-1980;
                    80JP-00063174.
XX
PR
                    80JP-00063174.
     12-MAY-1980;
XX
PΑ
     (NNSH ) NIPPON SHINYAKU CO LTD.
XX
DR
     WPI; 1982-04870E/03.
XX
PΤ
     Para:methoxy:benzyloxy:carbonyl protected heptacosa:peptide - is
PT
     intermediate for secretin, which e.g. stimulates pancreatic juices.
XX
PS
     Claim 1; Page 1; 5pp; Japanese.
XX
CC
     The sequence given is a heptacosapeptide which can be used as a precursor
     for secretin production. Secretin is a digestive tract enzyme which has
CC
CC
     physiological actions such as pancreatic juice secretion-stimulating
CC
     action and gastric juice secretion-inhibiting action. The
CC
     hetpacosapeptide can be converted to secretin by treating it with
     CF3SO3H. This yields large amounts of high purity secretin in a short
CC
CC
     time. (Updated on 25-MAR-2003 to correct PR field.) (Updated on 25-MAR-
CC
     2003 to correct PA field.)
XX
SQ
     Sequence 27 AA;
                          97.7%; Score 127; DB 1; Length 27;
  Query Match
  Best Local Similarity
                          96.3%; Pred. No. 2.8e-11;
  Matches
            26; Conservative
                                 1; Mismatches
                                                   0; Indels
                                                                 0; Gaps
                                                                             0;
            1 HSDGTFTSELSRLRESARLQRLLQGLV 27
Qу
              Db
            1 HSDGTFTSELSRLRDSARLQRLLQGLV 27
RESULT 4
AAP20398
     AAP20398 standard; peptide; 27 AA.
```

```
XX
     AAP20398;
AC
XX
DT
     25-MAR-2003
                  (revised)
DΤ
     30-NOV-1992
                  (first entry)
XX
DΕ
     Secretin precursor peptide.
XX
ΚW
     Strong acid; digestive canal hormone; pancreas; gastrin; pepsin; insulin.
XX
     Synthetic.
OS
XX
                     Location/Qualifiers
FH
     Key .
     Modified-site
FT
FT
                     /note= "Boc protected"
     Modified-site
FT
FT
                     /note= "But protected"
     Modified-site
FT
                     /note= "OBut protected"
FT
     Modified-site
FT
FT
                     /note= "But protected"
FT
     Modified-site
                     /note= "But protected"
FT
FT
     Modified-site
                     /note= "But protected"
FT
FT
     Modified-site
                      /note= "OBut protected"
FT
FT
     Modified-site
                     /note= "But protected"
FT
FT
     Modified-site
                     /note= "PhSO2 ring substd. by 1, 2 or 3 alkyl or alkoxy
FT
FT
                     qps."
     Modified-site
FT
                     /note= "PhSO2 ring substd. by 1, 2 or 3 alkyl or alkoxy
FT
FT
                     gps."
FT
     Modified-site
                     15
                     /note= "OBut protected"
FT
     Modified-site
FT
FT
                     /note= "But protected"
FT
     Modified-site
FT
                     /note= "PhSO2 ring substd. by 1, 2 or 3 alkyl or alkoxy
FT
                     gps."
FT
     Modified-site
                     21
FT
                      /note= "PhSO2 ring substd. by 1, 2 or 3 alkyl or alkoxy
FT
XX
PN
     EP47997-A.
XX
     24-MAR-1982.
PD
XX
PF
     11-SEP-1981;
                    81EP-00107186.
XX
     11-SEP-1980;
                    80JP-00125262.
PR
XX
     (EISA ) EISAI CO LTD.
PA
XX
     Uchiyama M, Sato T, Yoshino H, Tsuchiya Y, Konishi M, Tsujii M;
ΡI
```

```
PΙ
     Hisatake Y, Koiwa A;
XX
     WPI; 1982-24409E/13.
DR
XX
PT
     Heptacosa:peptide(s) - useful for high yield conversion to high purity
PT
     secretin on strong acid treatment.
XX
PS
     Claim 1; Page 43; 47pp; English.
XX
CC
     The sequence in AAP20398 is a precursor for the production of secretin.
CC
     The peptide sequences given in AAP20399-402 are peptides which are useful
CC
     in the production of this precursor. The precusor is treated with strong
CC
     acid in the preparation of secretin. Secretin is one of the digestive
CC
     canal hormones and is useful in promotion of pancreatic external
CC
     secretin, controlling gastrin-stimulating secretin of the stomach acid,
CC
     releasing insulin, stimulating secretin of pepsin and decomposing fat. It
     is used as a pancreatic-function examining agent and a medicine for
CC
CC
     curing duodenal ulcers etc. (Updated on 25-MAR-2003 to correct PA field.)
XX
SQ
     Sequence 27 AA;
  Query Match
                          97.7%; Score 127; DB 1; Length 27;
  Best Local Similarity
                          96.3%; Pred. No. 2.8e-11;
           26; Conservative
  Matches
                                1; Mismatches
                                                  0; Indels
                                                                 0; Gaps
                                                                             0;
Qу
            1 HSDGTFTSELSRLRESARLQRLLQGLV 27
              Dh
            1 HSDGTFTSELSRLRDSARLQRLLQGLV 27
RESULT 5
AAP30021
ΙD
     AAP30021 standard; peptide; 27 AA.
XX
AC
    AAP30021;
XX
DT
     25-MAR-2003
                 (revised)
DT
     03-SEP-1992
                 (first entry)
XX
DE
     Synthetic secretin.
XX
     Pharmaceutically; deprotection; digestive; hormone; pancreatism;
KW
KW
     duodenal ulcer.
XX
OS
     Synthetic.
XX
PN
     JP58144355-A.
XX
PD
     27-AUG-1983.
XX
PF
     22-FEB-1982;
                    82JP-00026088.
XX
PR
     22-FEB-1982;
                   82JP-00026088.
XX
PA
     (EISA ) EISAI CO LTD.
XX
DR
     WPI; 1983-779933/40.
```

```
XX
PT
     Pharmaceutically active secretin - prepd. by removing protective Gp. from
PT
     heptacosa:peptide.
XX
PS
     Claim 3; Page 2; 13pp; Japanese.
XX
CC
     Secretin, which has hitherto been produced by extraction from porcine
CC
     duodenum, may be produced by standard solid phase synthesis. Secretin is
CC
     a digestive tract hormone with many useful pharmaceutical actions such as
CC
     pancreatic secretion promotion, gastrin stimulation, gastric acid
CC
     secretion inhibition, insulin release, stimulation of pepsin secretion
     and lipolytic action. It is useful as a reagent for test on pancreatism
CC
     and as a remedy for duodenal ulcers. (Updated on 25-MAR-2003 to correct
CC
     PR field.) (Updated on 25-MAR-2003 to correct PA field.)
CC
XX
SO
     Sequence 27 AA;
                         97.7%; Score 127; DB 1; Length 27;
  Query Match
  Best Local Similarity 96.3%; Pred. No. 2.8e-11;
  Matches
                                1; Mismatches
                                                  0; Indels
                                                                0; Gaps
           26; Conservative
            1 HSDGTFTSELSRLRESARLQRLLQGLV 27
Qу
              1 HSDGTFTSELSRLRDSARLQRLLQGLV 27
Db
RESULT 6
AAP30014
ID
     AAP30014 standard; peptide; 27 AA.
XX
AC
    AAP30014;
XX
DT
     25-MAR-2003
                  (revised)
DT
     11-SEP-1992 (first entry)
XX
DE
     27-Desamidosecretin.
XX
KW
     Diagnosis; duodenal ulcer; pancreas.
XX
OS
     Synthetic.
XX
PN
     JP57200343-A.
XX
PD
     08-DEC-1982.
XX
PF
                   81JP-00084603.
     02-JUN-1981;
XX
PR
     02-JUN-1981; · 81JP-00084603.
     02-JUN-1981;
                   81JP-00106607.
PR
                    82JP-00016734.
PR
     04-FEB-1982;
XX
PΑ
     (WAKI-) WAKINAGA YAKUHIN KK.
XX
DR
     WPI; 1983-08056K/04.
XX
PT
     27-Des-amido-secretin prepd. by recombinant DNA techniques - useful as
PT
     diagnostic agent for pancreatic function or drug for treating duodenal
```

```
PΤ
     ulcers.
XX
PS
     Claim 1; Page 1; 15pp; Japanese.
XX
CC
     Prodn. of the peptide comprises chemical synthesis of the peptide
CC
     expression gene, introduction of the gene into a plasmid capable of
CC
     growing in a host microorganism, thereby giving a chimeric plasmid which
     can grow in the microorganism, transformation of the host cell by the
CC
CC
     plasmid and cultivation of the resultant transformant and recovery of the
     peptide. The peptide is useful as a diagnostic agent for pancreatic
CC ·
     function or as a drug for treatment of duodenum tumour. The peptide is .
CC
     produced by recombinant DNA technique in good yield on large scale with
CC
     low cost. (Updated on 25-MAR-2003 to correct PR field.)
XX
SQ
     Sequence 27 AA;
  Query Match
                          97.7%;
                                  Score 127; DB 1; Length 27;
  Best Local Similarity
                          96.3%;
                                  Pred. No. 2.8e-11;
  Matches
           26; Conservative
                                 1; Mismatches
                                                   0; Indels
                                                                 0; Gaps
                                                                             0;
Qу
            1 HSDGTFTSELSRLRESARLQRLLQGLV 27
              Db
            1 HSDGTFTSELSRLRDSARLQRLLQGLV 27
RESULT 7
AAP30038
     AAP30038 standard; peptide; 27 AA.
XX
AC
     AAP30038;
XX
DT
     25-MAR-2003 (revised)
DT
     04-SEP-1992
                 (first entry)
XX
DE
     Pig Secretin.
XX
KW
     Porcine; digestive; hormone; pancreatic; duodenal ulcer.
XX
os
     Sus scrofa.
XX
FH
     Key
                     Location/Qualifiers
FT
     Modified-site
FT
                     /label= Val-X
FT
                     /note= "X= NH2"
XX
PN
     JP58152852-A.
XX
PD
     10-SEP-1983.
XX
PF
     05-MAR-1982;
                    82JP-00034027.
XX
PR
     05-MAR-1982;
                    82JP-00034027.
XX
PA
     (EISA ) EISAI CO LTD.
XX
DR
     WPI; 1983-791975/42.
XX
```

```
Deca: peptide useful as intermediate for secretin - contains histidine,
PT
PT
     serine, aspartic acid, glycine, threonine, phenylalanine, glutamic acid
PT
     and leucine.
XX
PS
    Disclosure; Page 1; 13pp; Japanese.
XX
    The peptide, secretin, may be isolated from pigs by standard methods.
CC
    Alternatively the peptide may be produced by synthetic intermediates.
CC
CC
    Secretin is a digestive tract hormone. It displays pancreatic
    exocrinogenic, gastrin stimulating, gastric acid secretion inhibiting,
CC
CC
    insulin releasing, pepsin secretion promoting and adipolytic action. See
    also AAP30039. (Updated on 25-MAR-2003 to correct PR field.) (Updated on
CC
CC
    25-MAR-2003 to correct PA field.)
XX
SO
    Sequence 27 AA;
                                 Score 127; DB 1; Length 27;
 Query Match
                         97.7%;
  Best Local Similarity
                         96.3%; Pred. No. 2.8e-11;
 Matches 26; Conservative
                                1; Mismatches
                                                  0; Indels
                                                                0; Gaps
                                                                            0;
           1 HSDGTFTSELSRLRESARLQRLLQGLV 27
Qу
             Db
           1 HSDGTFTSELSRLRDSARLQRLLQGLV 27
RESULT 8
AAW37793
ID
    AAW37793 standard; peptide; 27 AA.
XX
AC
    AAW37793;
XX
DT
    28-JUL-1998 (first entry)
XX
DE
    Porcine secretin peptide.
XX
KW
    Porcine secretin; vasoactive intestinal polypeptide-1 receptor;
KW
    VIP-1 receptor; peptidic ligand; VIP-2 receptor; agonist; antagonist;
KW
    bronchoconstrictive disorder; asthma; tumour; stroke; cancer;
KW
    chronic obstructive pulmonary disease; myocardial infarction;
KW
    gastroenterological disease; anti-inflammatory; cell growth;
KW
    organ transplantation; cancer.
XX
os
    Sus scrofa.
XX
FH
    Key
                    Location/Qualifiers
FΤ
    Modified-site
                    27
FT
                    /label= Val
FT
                    /note= "amidated"
XX
PN
    WO9802453-A2.
XX
PD
    22-JAN-1998.
XX
PF
    15-JUL-1997;
                   97WO-BE000084.
XX
PR
    15-JUL-1996;
                   96EP-00870092.
PR
    19-SEP-1996;
                   96EP-00870121.
```

```
XX
PA
     (ULBR ) UNIV LIBRE BRUXELLES.
XX
PΙ
    Gourlet P, Robberecht P, Vandermeers A, Woelbroeck M;
XX
DR
    WPI; 1998-110523/10.
XX
    New ligands for vasoactive intestinal peptide receptor - is useful for
PT
PT
    treating VIP-related disorders, e.g. asthma, tumours, myocardial
     infarction, stroke, inflammation or auto-immune disease.
PT
XX
PS
    Example 1; Page 18; 38pp; English.
XX
CC
    This is the amino acid sequence of a porcine secretin, used as a
    comparison for the vasoactive intestinal polypeptide (VIP) in the method
CC
CC
    of the invention. VIP has two distinct receptors with seven transmembrane
CC
    helices named VIP-1 and VIP-2. The method of the invention involves the
CC
    development of peptidic ligands that can be used in the treatment of
CC
    bronchoconstrictive disorders, e.g. asthma, chronic obstructive pulmonary
CC
    disease (COPD), tumours, myocardial infarctions, strokes, the
CC
   · regeneration of nerves as in post-traumatic injury, as anti-inflammatory
CC
    and anti-oxidant agent, to increase cell growth, as immuno-modulation
CC
    agent in the treatment of auto-immune diseases and for reducing side
CC
    effects in organ transplantation. They can also be used for detection and
CC
    diagnosis, e.g. for the identification of specific cancers such as breast
CC
    and prostate cancers, lung cancers, ovarian cancers and colon cancers.
CC
    The ligands can also be used for the identification of other ligands of
CC
    the VIP1 receptor
XX
SQ
    Sequence 27 AA;
                         97.7%;
                                 Score 127; DB 2; Length 27;
 Query Match
 Best Local Similarity
                         96.3%; Pred. No. 2.8e-11;
 Matches
           26; Conservative
                                1; Mismatches
                                                                            0;
                                                  0; Indels
                                                                0; Gaps
            1 HSDGTFTSELSRLRESARLQRLLQGLV 27
Qу
              1 HSDGTFTSELSRLRDSARLQRLLQGLV 27
Db
RESULT 9
AAW71676
    AAW71676 standard; peptide; 27 AA.
XX
AC
    AAW71676;
XX
DT
    11-JAN-1999 (first entry)
XX
DE
    Secretin-derived target peptide.
XX
KW
    Calmodulin; green fluorescent protein; GFP; cameleon;
KW
     fluorescence resonance energy transfer; FRET; calcium; sensor; analysis;
KW
     assay; secretin.
XX
OS
     Synthetic.
XX
PN
    WO9840477-A1.
```

```
XX
     17-SEP-1998.
PD
XX
PF
                   98WO-US004978.
     13-MAR-1998;
XX
PR
     14-MAR-1997;
                   97US-00818252.
PR
     14-MAR-1997;
                   97US-00818253.
     27-AUG-1997;
PR
                   97US-00919143.
XX
PA
     (REGC ) UNIV CALIFORNIA.
XX
PΙ
    Tsien RY, Miyawaki A;
XX
DR
    WPI; 1998-520809/44.
XX
PT
    New fluorescent protein sensors for detection of analytes - comprises a
PT
    binding protein moiety having an analyte binding region and bound donor
PT
    and acceptor fluorescent protein moieties.
XX
PS
    Disclosure; Page 21; 108pp; English.
XX
CC
    This peptide represents a target moiety from secretin that is recognised
CC
    by calmodulin. The invention provides fluorescent indicators and methods
CC
     for using them to determine the concentration of an analyte, such as
CC
     calcium ion, in vitro and in vivo. Fluorescent indicators include a
CC
    binding protein moiety (e.g. calmodulin) and donor and acceptor
CC
     fluorescent protein moieties, preferably derived from Aequorea green
CC
     fluorescent protein (see AAW71645-48). The binding protein preferably
CC
    binds target peptides (see AAW71649-79) in addition to the analyte. The
CC
     target peptide moieties can be modified to enhance the response of the
CC
     fluorescent indicator to the analyte
XX
SQ
    Sequence 27 AA;
                                 Score 127; DB 2; Length 27;
  Query Match
                         97.7%;
                                 Pred. No. 2.8e-11;
  Best Local Similarity
                         96.3%;
 Matches
           26; Conservative
                                1: Mismatches
                                                                             0;
                                                  0;
                                                     Indels
                                                                 0; Gaps
Qу
           1 HSDGTFTSELSRLRESARLQRLLQGLV 27
              1 HSDGTFTSELSRLRDSARLQRLLQGLV 27
RESULT 10
AAY50236
ID
    AAY50236 standard; peptide; 27 AA.
XX
AC
    AAY50236;
XX
DT
    12-JAN-2000 (first entry)
XX
DE
    Neutrophil-activating pancreatic derived peptide 36.
XX
KW
    Cell activation; pancreas; treatment; cardiovascular disease; trauma;
     inflammatory disease; autoimmune diseases; arthritis; diabetes; stroke;
KW
KW
     organ rejection; ischemia; Alzheimer's disease; myocardial infarction;
KW
    haemorrhagic shock; diabetic retinopathy; venous insufficiency; angina;
```

```
KW
     trauma; protease inhibitor; hypertension; sepsis.
XX
OS
    Mus sp.
XX
    WO9946367-A2.
PN
XX
PD
     16-SEP-1999.
XX
PF
    11-MAR-1999;
                    99WO-US005247.
XX
PR
     11-MAR-1998;
                    98US-00038894.
XX
PA
     (CELL-) CELL ACTIVATION INC.
PA
     (REGC ) UNIV CALIFORNIA.
     (SCRI ) SCRIPPS RES INST.
PA
XX
PI
    Stoughton RB,
                    Schmid-Schonbein GW, Hugli TE,
                                                    Kistler E;
XX
DR
    WPI; 1999-580234/49.
XX
PT
    Use of cell activating compositions in developing products for diagnosis
PΤ
    and treatment of e.g. cardiovascular, inflammatory, autoimmune or
PT
    Alzheimer's disease, trauma, arthritis, organ rejection, diabetes, stroke
PT
    or ischemia.
XX
PS
    Example 9; Page 182; 184pp; English.
XX
CC
    This invention describes a novel method for the use and preparation of
CC
     cell activating compositions which involves preparing a cell activating
CC
     composition comprising (a) homogenizing pancreatic tissue in buffer at
CC
    about neutral or higher pH to produce a homogenate; (b) removing
CC
    particulates from the homogenate; (c) optionally incubating the resulting
CC
    homogenate, with particulates removed, with a protease; and (d)
CC
     fractionating the homogenate and selecting fractions that exhibit cell
CC
    activation activity. The methods can be used for improving treatment
CC
    outcome or reducing risk of treatment of e.g. cardiovascular disease,
CC
    inflammatory disease, trauma, autoimmune diseases, arthritis, organ
CC
    rejection, diabetes and diabetic complications, stroke, ischemia,
CC
    Alzheimer's disease, myocardial infarction, haemorrhagic shock, diabetic
CC
    retinopathy, diabetes, venous insufficiency, unstable angina or trauma.
CC
    They can be used in the veterinary treatment of a non-human subject.
CC
    Protease inhibitors can be used to lower cell activation resulting from
CC
    these diseases and deficiencies. The detection of an elevated level of
CC
    hydrogen peroxide can be used to detect an inflammatory condition. An
CC
    elevated level of hydrogen peroxide in plasma or whole blood and in the
CC
    presence of superoxide dismutase (SOD) indicates leukocyte up regulation,
CC
    e.g. indicative of the onset of an acute cardiovascular disorders, such
CC
    as disease onset or ischemic complications. An elevated level of hydrogen
CC
    peroxide in plasma or whole blood and a low level in the presence of SOD
CC
     is indicative of a chronic or immune compromised condition e.g.
CC
    hypertension or sepsis. AAY50201-Y50334 represent peptides used in the
CC
    method of the invention
XX
SO
    Sequence 27 AA;
```

97.7%; Score 127; DB 2; Length 27;

96.3%; Pred. No. 2.8e-11;

Query Match

Best Local Similarity

```
Matches
            26; Conservative
                                 1; Mismatches
                                                   0; Indels
                                                                     Gaps
                                                                             0;
                                                                 0;
Qу
            1 HSDGTFTSELSRLRESARLQRLLQGLV 27
              111111111111111111111111111
Db
            1 HSDGTFTSELSRLRDSARLQRLLQGLV 27
RESULT 11
AAB70901
     AAB70901 standard; peptide; 27 AA.
XX
AC
     AAB70901;
XX
DΤ
     26-JUL-2001 (first entry)
XX
DΕ
     Porcine secretin peptide.
XX
KW
     Secretin; porcine; nootropic; autism; treatment; prevention.
XX
os
     Sus scrofa.
XX
PN
     WO200132196-A1.
XX
PD
     10-MAY-2001.
XX
PF
     03-NOV-2000; 2000WO-EP010847.
XX
PR
     05-NOV-1999;
                    99DE-01053339.
XX
PA
     (GOLD-) GOLDHAM PHARMA GMBH.
XX
ΡI
     Frank A, Jordan K, Hiebl W;
XX
DR
     WPI; 2001-335783/35.
XX
PT
     Pharmaceutical composition for selective treatment of autism, containing
PT
     oligopeptide fragment of secretin, e.g. His-Ser-Asp-Gly-Thr-Phe-Thr-Ser.
XX
PS
     Disclosure; Page 13; 21pp; German.
XX
CC
     This invention describes novel pharmaceutical compositions containing at
CC
     least one secretin peptide fragment having 4-15 (preferably 4-8) amino
CC
     acids (optionally in acid addition salt form) and which have nootropic
CC
     activity. The peptide fragments described in the invention (of any
CC
     origin, e.g. derived from human, porcine, chicken or simian secretin)
CC
     have a specific beneficial action in the treatment or prevention of
CC
     autism. They are free of the other activities (e.g. gastrointestinal
CC
     effects) of secretin itself. This sequence represents a porcine secretin
CC
     peptide which can be used to generate the peptide fragments described in
CC
     the method of the invention
XX
SQ
     Sequence 27 AA;
                          97.7%; Score 127; DB 4; Length 27;
  Query Match
  Best Local Similarity
                          96.3%; Pred. No. 2.8e-11;
            26; Conservative
                                 1; Mismatches
                                                 0; Indels
                                                                             0;
```

0; Gaps

```
1 HSDGTFTSELSRLRESARLQRLLQGLV 27
Qу
              Db
            1 HSDGTFTSELSRLRDSARLQRLLQGLV 27
RESULT 12
AAB91262
     AAB91262 standard; peptide; 27 AA.
XX
AC
     AAB91262;
XX
DT
     22-JUN-2001 (first entry)
XX
DE
     Secretin peptide SEQ ID NO:438.
XX
KW
     Protection; endogenous therapeutic peptide; peptidase; conjugation;
KW
     blood component; modification; succinimidyl; maleimido group; amino;
     hydroxyl; thiol; hormone; growth factor; neurotransmitter.
KW
XX
os
     Homo sapiens.
os
     Synthetic.
XX
PN
     WO200069900-A2.
XX
PD
     23-NOV-2000.
XX
PF
     17-MAY-2000; 2000WO-US013576.
XX
PR
     17-MAY-1999;
                    99US-0134406P.
     10-SEP-1999;
                    99US-0153406P.
PR
PR
     15-OCT-1999;
                    99US-0159783P.
XX
     (CONJ-) CONJUCHEM INC.
PΑ
XX
PΙ
     Bridon DP, Ezrin AM, Milner PG, Holmes DL, Thibaudeau K;
XX
DR
     WPI; 2001-112059/12.
XX
PT
     Modifying and attaching therapeutic peptides to albumin prevents
     peptidase degradation, useful for increasing length of in vivo activity.
PT
XX
PS
     Disclosure; Page 341; 733pp; English.
XX
CC
     The present invention describes a modified therapeutic peptide (I)
CC
     comprising a therapeutically active amino acid region (III) and a
     reactive group (II) (e.g. succinimidyl and maleimido groups) attached to
CC
CC
     a less therapeutically active amino acid region (IV), which covalently
     bonds with amino/hydroxyl/thiol groups on blood components to form a
CC
     peptidase stabilised therapeutic peptide composed of 3-50 amino acids.
CC
     (I) are useful for modifying therapeutic peptides e.g. hormones, growth
CC
CC
     factors and neurotransmitters, to protect them from peptidase activity in
     vivo for the treatment of various disorders. Endogenous therapeutic
CC
     peptides are not suitable as drug candidates as they require frequent
CC
     administration due to rapid degradation by peptidases in the body.
CC
CC
     Modifying and attaching therapeutic peptides to albumin prevents or
CC
     reduces the action of peptidases to increase length of activity (half
```

life) and specificity as bonding to large molecules decreases

CC

```
intracellular uptake and interference with physiological processes.
CC
ĊC
     AAB90829 to AAB92441 represent peptides which can be used in the
     exemplification of the present invention
CC
XX
SQ
     Sequence 27 AA;
  Query Match
                          97.7%;
                                  Score 127; DB 4; Length 27;
  Best Local Similarity
                          96.3%;
                                  Pred. No. 2.8e-11;
 Matches
            26; Conservative
                                 1; Mismatches
                                                    0;
                                                       Indels
                                                                  0;
                                                                      Gaps
                                                                               0;
            1 HSDGTFTSELSRLRESARLORLLOGLV 27
Qу
              111111111111111111111111111
            1 HSDGTFTSELSRLRDSARLQRLLQGLV 27
Db
RESULT 13
AAB50844
    AAB50844 standard; peptide; 27 AA.
ID
XX
AC
    AAB50844;
XX
DT
    14-MAR-2001
                  (first entry)
XX
DE
     Pig protein calmodulin-binding domain.
XX
KW
     Fluorescent protein indicator; green fluorescent protein; GFP;
KW
     linker moiety; sensor; calmodulin-binding domain.
XX
OS
     Sus scrofa.
XX
PN
    WO200071565-A2.
XX
PD
     30-NOV-2000.
XX
PF
     17-MAY-2000; 2000WO-US013684.
XX
PR
     21-MAY-1999;
                    99US-00316919.
PR
     21-MAY-1999;
                    99US-00316920.
XX
PA
     (REGC ) UNIV CALIFORNIA.
XX
PΙ
    Tsien RY, Baird GA;
XX
DR
    WPI; 2001-032017/04.
XX
PT
    Novel fluorescent proteins comprising a sensor protein inserted into
     them, useful for measuring the response of a sensor biological, chemical,
PT
PT
     electrical or physiological parameter in vivo or in vitro.
XX
PS
     Disclosure; Page 33; 94pp; English.
XX
CC
     The present sequence is a calmodulin-binding domain peptide used in the
CC
     construction of a fluorescent protein indicator. The indicator comprises
CC
     a sensor polypeptide that is responsive to a chemical, biological,
CC
     electrical or physiological parameter, and a fluorescence protein
CC
     functional group. The sensor polypeptide is operatively inserted into the
CC
     fluorescent moiety. The fluorescent indicator is useful for detecting the
```

```
CC
     contacting the sample with the indicator and detecting a change in
CC
     fluorescence, in which a change is indicative of the effect of the
     parameter on the sensor polypeptide. The novel fluorescent proteins are
CC
     advantageous due to their reduced size as compared to the FRET
CC
CC
     (fluorescence resonance energy transfer)-based sensors
XX
     Sequence 27 AA;
SQ
  Query Match
                          97.7%;
                                  Score 127; DB 4; Length 27;
  Best Local Similarity
                          96.3%;
                                  Pred. No. 2.8e-11;
  Matches
            26; Conservative
                                 1; Mismatches
                                                    0; Indels
                                                                  0;
                                                                      Gaps
                                                                              0;
            1 HSDGTFTSELSRLRESARLQRLLQGLV 27
Qу
              11111111111111111111111111111
Db
            1 HSDGTFTSELSRLRDSARLQRLLQGLV 27
RESULT 14
AAE23673
     AAE23673 standard; peptide; 27 AA.
XX
AC
     AAE23673;
XX
DΤ
     10-SEP-2002
                  (first entry)
XX
DΕ
     Heptacosipeptide, secretin.
XX
KW
     Secretin receptor-like GPCR; G protein-coupled receptor; autism; obesity;
KW
     diabetes; cardiovascular disease; congestive heart failure;
KW
     ischaemic heart disease; nervous system disorder; Alzheimer's disease;
KW
     osteoporosis; anxiety; depression; hypertension; migraine; neuroleptic;
KW
     compulsive disorder; neurodegenerative disorder; Parkinson's disease;
KW
     cancer chemotherapy-induced vomiting; neuroprotective; cytostatic;
     anorectic; osteopathic; tranquilliser; hypotensive; schizophrenia;
KW
KW
     nootropic; asthma; secretin.
XX
OS
     Unidentified.
XX
FH
     Key
                     Location/Qualifiers
FT
     Modified-site
FT
                     /note= "C-terminal amide"
XX
ΡN
     WO200228898-A2.
XX
     11-APR-2002.
PD
XX
PF
     04-OCT-2001; 2001WO-EP011439.
XX
PR
     06-OCT-2000; 2000US-0238126P.
XX
PA
     (FARB ) BAYER AG.
XX
ΡI
     Kossida S;
XX
DR
     WPI; 2002-444095/47.
XX
```

presence of a response inducing member in a sample. The method involves

CC

```
Human secretin receptor-like G-protein coupled receptor and
     polynucleotides useful for identifying modulating agents useful in
PT
     treating diseases e.g. cancer, osteoporosis, asthma, obesity, Parkinson's
PT
PT
     disease.
XX
PS
     Disclosure; Fig 3; 125pp; English.
XX
CC
     The invention relates to secretin receptor-like GPCR (G protein-coupled
     receptor) polypeptide and its corresponding nucleic acid sequence. The
CC
CC
     polypeptide of the invention is used to treat obesity, diabetes,
CC
     osteoporosis, anxiety, depression, hypertension, migraine, compulsive
CC
     disorder, schizophrenia, autism, neurodegenerative disorders, cancer
CC
     chemotherapy-induced vomiting, asthma, cardiovascular diseases e.g.
CC
     congestive heart failure, ischaemic diseases of heart and central nervous
CC
     system disorders e.g. Parkinson's disease, Alzheimer's disease. The
CC
     sequences of the invention is used to detect agents that regulate the
CC
     activity of secretin receptor-like GPCR. Fusion proteins comprising
CC
     secretin receptor-like GPCR are useful for generating antibodies and for
CC
     use in various assay systems, and the polypeptide of the invention is
CC
     used as a bait protein in a two-hybrid assay or three-hybrid assay. The
CC
     present sequence is a heptacosipeptide, secretin used in the invention
XX
SQ
     Sequence 27 AA;
 Query Match
                          97.7%;
                                 Score 127; DB 5; Length 27;
  Best Local Similarity
                          96.3%; Pred. No. 2.8e-11;
  Matches
            26; Conservative
                                1; Mismatches
                                                                             0;
                                                  0; Indels
                                                                 0; Gaps
            1 HSDGTFTSELSRLRESARLQRLLQGLV 27
Qу
              Db
            1 HSDGTFTSELSRLRDSARLQRLLQGLV 27
RESULT 15
ABB06679
     ABB06679 standard; peptide; 27 AA.
XX
AC
     ABB06679;
XX
DT
     10-JUN-2002
                  (first entry)
XX
DE
     Mammalian VIP family peptide sequence SEQ ID NO:18.
XX
KW
     Amphibian; bombesin; 'gastrin-releasing peptide; GRP; GRF; litoein;
KW
     growth hormone releasing factor; cytostatic; antiarteriosclerotic;
KW
     gastrointestinal; antidiabetic; ophthalmological; atherosclerosis;
     autocrine mitotic factor; paracrine mitotic factor; cancer; gastric;
KW
KW
     malignant proliferation; benign proliferation; pancreatic secretion;
KW
     motility; amylase secretion suppression; appetite; muscular dystrophy;
KW
     diabetes.
XX
OS
     Sus scrofa.
OS
     Bos taurus.
XX
FH
                     Location/Oualifiers
     Kev
FT
                     27
     Modified-site
                     /note= "amidated"
FT
```

```
XX
     US6307017-B1.
PN
XX
PD
     23-OCT-2001.
XX
                    99US-00260846.
PF
     02-MAR-1999;
XX
     24-SEP-1987;
                    87US-00100571.
PR
                    88US-00173311.
PR
     25-MAR-1988;
                    88US-00204171.
PR
     08-JUN-1988;
PR
     16-JUN-1988;
                    88US-00207759.
PR
     23-SEP-1988;
                    88US-00248771.
PR
     14-OCT-1988;
                    88US-00257998.
PR
     09-DEC-1988;
                    88US-00282328.
PR
     02-MAR-1989;
                    89US-00317941.
PR
     07-JUL-1989;
                    89US-00376555.
                    89US-00397169.
PR
     21-AUG-1989;
     30-MAR-1990;
                    90US-00502438.
PR
PR
     18-OCT-1991;
                    91US-00779039.
PR
     10-NOV-1994;
                    94US-00337127.
XX
PA
     (BIOM-) BIOMEASURE INC.
PA
     (TULA ) TULANE EDUCATIONAL FUND.
XX
PΙ
              Moreau J, Kim SH;
     Coy DH,
XX
DR
     WPI; 2002-162970/21.
XX
PT
     New antagonistic analogs of litoein and similar peptides, are useful for
PT
     treating malignant or benign proliferation or gastrointestinal disorders.
XX
PS
     Disclosure; Fig 3A; 29pp; English.
XX
CC
     The present invention describes therapeutic peptides (A) or their salts
CC
     of 7-10 amino acids (aa) that are analogues of the natural peptides,
CC
     having C-terminal Met, litoein or the 10 aa C-terminal region of either
CC
     mammalian gastrin-releasing peptide (GRP) or amphibian bombesin. (A) have
CC
     cytostatic, antiarteriosclerotic, gastrointestinal, antidiabetic and
CC
     ophthalmological activities and can be used as natural peptide
     antagonists. The peptide pyroGlu-Gln-Trp-Ala-Val-Gly-His-Leu-statine-NH2
CC
CC
     has IC50 for inhibition of binding of GRP to the bombesin receptor on 3T3
CC
     cells of 150 nM and IC50 for inhibition of bombesin-stimulated
CC
     incorporation of titrated thymidine into small cell lung cancer cells
CC
     (NCI-H69) of 165 nM. (A) can be used to treat conditions where the
CC
     substance related to (A) acts as autocrine or paracrine mitotic factor,
     e.g. malignant or benign proliferation, e.g. cancer or atherosclerosis;
CC
CC
     or disorders of gastric or pancreatic secretion or motility, e.g. to
CC
     suppress secretion of amylase and to control appetite (particularly
CC
     restoration of appetite in patients with cachexia). Antagonists of GRP
CC
     also suppresses the release of growth hormone so can be used to slow down
CC
     progression of muscular dystrophy and to treat diabetes (or associated
CC
     retinopathy). The present sequence represents a peptide which is used in
CC
     the exemplification of the present invention
XX
SQ
     Sequence 27 AA;
```

Best Local Similarity 96.3%; Pred. No. 2.8e-11;
Matches 26; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

Search completed: March 16, 2005, 12:41:07 Job time: 101.333 secs

GenCore version 5.1.6 Copyright (c) 1993 - 2005 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 16, 2005, 12:32:58; Search time 25.6667 Seconds

(without alignments)

78.527 Million cell updates/sec

Title: US-10-822-677-12

Perfect score: 130

Sequence: 1 HSDGTFTSELSRLRESARLQRLLQGLV 27

Scoring table: BLOSUM62

Gapop 10.0 , Gapext 0.5

Searched: 513545 seqs, 74649064 residues

Total number of hits satisfying chosen parameters: 513545

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database: Issued Patents_AA:*

1: /cgn2_6/ptodata/1/iaa/5A_COMB.pep:*

2: /cgn2_6/ptodata/1/iaa/5B_COMB.pep:*
3: /cgn2_6/ptodata/1/iaa/6A_COMB.pep:*

4: /cgn2_6/ptodata/1/iaa/6B_COMB.pep:*

5: /cgn2_6/ptodata/1/iaa/PCTUS_COMB.pep:*

6: /cgn2_6/ptodata/1/iaa/backfiles1.pep:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

| | | ક | | | | |
|--------|-------|-------|--------|-----|-------------------|-------------------|
| Result | | Query | | | | |
| No. | Score | Match | Length | DB | ID | Description |
| 1 | 130 | 100.0 | 27 | 4 | US-09-897-412-12 | Sequence 12, Appl |
| 2 | 127 | 97.7 | 27 | 1 | US-08-519-180-6 | Sequence 6, Appli |
| 3 | 127 | 97.7 | 27 | 2 | US-08-818-253-36 | Sequence 36, Appl |
| 4 | 127 | 97.7 | 27 | 3 | US-08-818-252-36 | Sequence 36, Appl |
| 5 | 127 | 97.7 | 27 | 3 | US-09-260-846-18 | Sequence 18, Appl |
| . 6 | 127 | 97.7 | 27 | 3 | US-08-842-322-30 | Sequence 30, Appl |
| 7 | 127 | 97.7 | 27 | 4 | US-09-316-919-52 | Sequence 52, Appl |
| 8 | 127 | 97.7 | 27 | 4 · | US-09-316-920A-52 | Sequence 52, Appl |
| 9 | 127 | 97.7 | 27 | 4 | US-09-897-412-11 | Sequence 11, Appl |
| 10 | 126 | 96.9 | 27 | 1 | US-07-924-054-10 | Sequence 10, Appl |
| 11 | 126 | 96.9 | 27 | 1 | US-08-062-472B-43 | Sequence 43, Appl |

| | | | 07 | 4 | US-09-897-412-10 | Sequence 10, Appl |
|------|-------|------|----------|---|---------------------|-------------------|
| 12 | 126 | 96.9 | 27 | 4 | US-07-822-924-10 | Sequence 10, Appl |
| 13 | 124 | 95.4 | 27 | 1 | PCT-US93-00683-10 | Sequence 10, Appl |
| 14 | 124 | 95.4 | 27 | 5 | US-09-230-896C-21 | Sequence 21, Appl |
| 15 | 123 | 94.6 | 36 | 4 | US-07-776-272-25 | Sequence 25, Appl |
| 16 | 112.5 | 86.5 | 26 | 1 | US-09-847-249A-10 | Sequence 10, Appl |
| 17 | 69 | 53.1 | 29 | 4 | US-09-847-249A-30 | Sequence 30, Appl |
| 18 | 68 | 52.3 | 29 | 4 | US-09-847-249A-38 | Sequence 38, Appl |
| 19 | . 68 | 52.3 | 29 | 4 | US-09-847-249A-73 | Sequence 73, Appl |
| 20 | 68 | 52.3 | 29 | 4 | US-09-847-249A-74 | Sequence 74, Appl |
| 21 | 68 | 52.3 | 29 | 4 | US-09-847-249A-75 | Sequence 75, Appl |
| 22 | 68 | 52.3 | 29 | 4 | US-09-847-249A-76 | Sequence 76, Appl |
| 23 | 68 | 52.3 | 29 | 4 | US-09-847-249A-25 | Sequence 25, Appl |
| 24 | 67 | 51.5 | 29 | 4 | US-09-847-249A-28 | Sequence 28, Appl |
| 25 | 67 | 51.5 | 29 | 4 | US-09-847-249A-34 | Sequence 34, Appl |
| 26 | 67 | 51.5 | 29 | 4 | 047 0407 44 | Sequence 44, Appl |
| 27 | 67 | 51.5 | 29 29 | 4 | 00 047 2407-9 | Sequence 9, Appli |
| 28 | 66 | 50.8 | 29 | 4 | 047 0403 11 | Sequence 11, Appl |
| 29 | 66 | 50.8 | 29 29 | 4 | 015 0103 66 | Sequence 66, Appl |
| 30 | 65 | 50.0 | 29 | _ | | Sequence 67, Appl |
| 31 | 65 | 50.0 | 29 | | | Sequence 70, Appl |
| 32 | 65 | 50.0 | 30 | | 106 | Sequence 106, App |
| . 33 | 65 | 50.0 | 30 | _ | 445 2457 27 | Sequence 37, Appl |
| 34 | 64 | 49.2 | 31 | | | Sequence 24, Appl |
| 35 | 64 | 49.2 | 31 | _ | 000 7007 21 | Sequence 21, Appl |
| 36 | 64 | 49.2 | 29 | | US-07-741-931-2 | Sequence 2, Appli |
| 37 | 63 | 48.5 | 29 | _ | US-08-066-480-7 | Sequence 7, Appli |
| 38 | 63 | 48.5 | 29 | | 1 US-08-255-558B-1 | Sequence 1, Appli |
| 39 | 63 | 48.5 | 29 | | 1 US-08-255-558B-7 | Sequence 7, Appli |
| 40 | 63 | 48.5 | 29 | | 1 US-07-937-132A-2 | Sequence 2, Appli |
| 41 | 63 | 48.5 | 29 | • | 1 US-08-473-334B-1 | Sequence 1, Appli |
| 42 | 63 | 48.5 | 29 | | 1 US-08-473-334B-25 | Sequence 25, Appl |
| 43 | 63 | 48.5 | 29 | | 1 US-08-519-180-7 | Sequence 7, Appli |
| 44 | 63 | 48.5 | 2: | - | 2 US-08-796-598-21 | Sequence 21, Appl |
| 45 | 63 | 48.5 | ۷. | _ | <u> </u> | |

ALIGNMENTS

```
RESULT 1
US-09-897-412-12
; Sequence 12, Application US/09897412
; Patent No. 6780839
; GENERAL INFORMATION:
 APPLICANT: Davis, Richard J
; TITLE OF INVENTION: Use of Secretin-Receptor Ligands in Treatment of Cystic
  TITLE OF INVENTION: Fibrosis (CF) and Chronic Obstructive Pulmonary Disease
  TITLE OF INVENTION: (COPD)
  FILE REFERENCE: 620-148
  CURRENT APPLICATION NUMBER: US/09/897,412
  CURRENT FILING DATE: 2001-07-03
  PRIOR APPLICATION NUMBER: GB 0016441.8
; PRIOR FILING DATE: 2000-07-04
; NUMBER OF SEQ ID NOS: 13
 ; SOFTWARE: PatentIn Ver. 2.1
 ; SEQ ID NO 12
```

```
LENGTH: 27
   TYPE: PRT
   ORGANISM: Canis sp.
US-09-897-412-12
                         100.0%; Score 130; DB 4; Length 27;
 Query Match
  Best Local Similarity 100.0%; Pred. No. 2.1e-12;
          27; Conservative 0; Mismatches 0; Indels
                                                            0; Gaps
                                                                          0;
 Matches
           1 HSDGTFTSELSRLRESARLQRLLQGLV 27
Qу
             1 HSDGTFTSELSRLRESARLQRLLQGLV 27
RESULT 2
US-08-519-180-6
; Sequence 6, Application US/08519180
; Patent No. 5770570
  GENERAL INFORMATION:
    APPLICANT: PAUL, SUDHIR
    APPLICANT: YASUKO, NODA
    APPLICANT: ISRAEL, RUBINSTEIN
    TITLE OF INVENTION: A METHOD OF DELIVERING A VASOACTIVE
    TITLE OF INVENTION: INTESTINAL POLYPEPTIDE, AN ENCAPSULATED VASOACTIVE
    TITLE OF INVENTION: INTESTINAL POLYPEPTIDE, AND A METHOD OF MAKING THE
    TITLE OF INVENTION: ENCAPSULATED VASOACTIVE INTESTINAL POLYPEPTIDE
    NUMBER OF SEQUENCES: 13
    CORRESPONDENCE ADDRESS:
      ADDRESSEE: CUSHMAN, DARBY & CUSHMAN
       STREET: 1100 NEW YORK AVENUE, N.W.
      CITY: WASHINGTON
       STATE: D.C.
       COUNTRY: USA
       ZIP: 20005
     COMPUTER READABLE FORM:
       MEDIUM TYPE: Floppy disk
       COMPUTER: IBM PC compatible
       OPERATING SYSTEM: PC-DOS/MS-DOS
       SOFTWARE: PatentIn Release #1.0, Version #1.25
     CURRENT APPLICATION DATA:
       APPLICATION NUMBER: US/08/519,180
       FILING DATE: 25-AUG-1995
       CLASSIFICATION: 514
     PRIOR APPLICATION DATA:
       APPLICATION NUMBER: US 08/224488
       FILING DATE: 07-APR-1994
     ATTORNEY/AGENT INFORMATION:
       NAME: SEMINAUER, JEFFREY A.
       REGISTRATION NUMBER: 31,933
       REFERENCE/DOCKET NUMBER: 4464/98971
     TELECOMMUNICATION INFORMATION:
       TELEPHONE: 202-861-3000
       TELEFAX: 202-822-0944
       TELEX: 6714627 CUSH
   INFORMATION FOR SEQ ID NO:
     SEQUENCE CHARACTERISTICS:
       LENGTH: 27 amino acids
```

```
TYPE: amino acid
      STRANDEDNESS: single
      TOPOLOGY: linear
    MOLECULE TYPE: peptide
US-08-519-180-6
                         97.7%; Score 127; DB 1; Length 27;
  Query Match
 Best Local Similarity 96.3%; Pred. No. 5.8e-12;
                              1; Mismatches 0; Indels
                                                             0; Gaps
         26; Conservative
           1 HSDGTFTSELSRLRESARLQRLLQGLV 27
QУ
             1 HSDGTFTSELSRLRDSARLQRLLQGLV 27
Db ·
RESULT 3
US-08-818-253-36
; Sequence 36, Application US/08818253
; Patent No. 5998204
  GENERAL INFORMATION:
    APPLICANT: Tsien, Roger Y.
    APPLICANT: Miyawaki, Atsushi
    TITLE OF INVENTION: FLUORESCENT PROTEIN SENSORS FOR
    TITLE OF INVENTION: DETECTION OF ANALYTES
    NUMBER OF SEQUENCES: 61
    CORRESPONDENCE ADDRESS:
      ADDRESSEE: Fish & Richardson P.C.
      STREET: 4225 Executive Square, Suite 1400
      CITY: La Jolla
       STATE: CA
       COUNTRY: USA
      ZIP: 92037
     COMPUTER READABLE FORM:
      MEDIUM TYPE: Diskette
       COMPUTER: IBM Compatible
       OPERATING SYSTEM: Windows 95
       SOFTWARE: FastSEQ for Windows Version 2.0b
     CURRENT APPLICATION DATA:
      APPLICATION NUMBER: US/08/818,253
       FILING DATE: 14-MAR-1997
     PRIOR APPLICATION DATA:
      APPLICATION NUMBER:
      FILING DATE:
     ATTORNEY/AGENT INFORMATION:
       NAME: Haile, Ph.D., Lisa A.
       REGISTRATION NUMBER: 38,347
       REFERENCE/DOCKET NUMBER: 07257/043001
     TELECOMMUNICATION INFORMATION:
       TELEPHONE: 619/678-5070
       TELEFAX: 619/678-5099
   INFORMATION FOR SEQ ID NO:
     SEQUENCE CHARACTERISTICS:
       LENGTH: 27 amino acids
       TYPE: amino acid
       TOPOLOGY: linear
     MOLECULE TYPE: peptide
US-08-818-253-36
```

```
97.7%; Score 127; DB 2; Length 27;
 Query Match
 Best Local Similarity 96.3%; Pred. No. 5.8e-12;
                              1; Mismatches 0; Indels
                                                             0; Gaps
 Matches 26; Conservative
           1 HSDGTFTSELSRLRESARLQRLLQGLV 27
Qу
             1 HSDGTFTSELSRLRDSARLQRLLQGLV 27
RESULT 4
US-08-818-252-36
; Sequence 36, Application US/08818252B
; Patent No. 6197928
: GENERAL INFORMATION:
; APPLICANT: Tsien, Roger Y.
  APPLICANT: Miyawaki, Atsushi
  TITLE OF INVENTION: FLUORESCENT PROTEIN SENSORS FOR
  TITLE OF INVENTION: DETECTION OF ANALYTES
; FILE REFERENCE: 07257/042001
; CURRENT APPLICATION NUMBER: US/08/818,252B
; CURRENT FILING DATE: 1997-03-14
; NUMBER OF SEQ ID NOS: 56
  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 36
   LENGTH: 27
   TYPE: PRT
   ORGANISM: Sus scrofa
US-08-818-252-36
                         97.7%; Score 127; DB 3; Length 27;
  Query Match
  Best Local Similarity 96.3%; Pred. No. 5.8e-12;
                                                               0; Gaps
                                                                          0;
  Matches 26; Conservative 1; Mismatches 0; Indels
            1 HSDGTFTSELSRLRESARLQRLLQGLV 27
Qу
              1111111111111111111111111111111111
            1 HSDGTFTSELSRLRDSARLQRLLQGLV 27
Db
RESULT 5
US-09-260-846-18
; Sequence 18, Application US/09260846
; Patent No. 6307017
; GENERAL INFORMATION:
; APPLICANT: Coy, David H.
; APPLICANT: Moreau, Jacques-Pierre
   APPLICANT: Kim, Sun Hyuk
   TITLE OF INVENTION: OCTAPEPTIDE BOMBESIN ANALOGS
; FILE REFERENCE: 00537/00900J
; CURRENT APPLICATION NUMBER: US/09/260,846
; CURRENT FILING DATE: 1999-03-02
; NUMBER OF SEQ ID NOS: 25
  SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 18
    LENGTH: 27
    TYPE: PRT
    ORGANISM: mammalian
```

```
FEATURE:
   OTHER INFORMATION: Porcine/Bovine
   FEATURE:
   OTHER INFORMATION: this peptide has an amidated c-terminus
US-09-260-846-18
                          97.7%; Score 127; DB 3; Length 27;
  Ouery Match
  Best Local Similarity 96.3%; Pred. No. 5.8e-12;
                                                                0; Gaps
                                1; Mismatches
                                                 0; Indels
  Matches 26; Conservative
         1 HSDGTFTSELSRLRESARLQRLLQGLV 27
Qу
              111111111111111111111111111111111111
            1 HSDGTFTSELSRLRDSARLQRLLQGLV 27
Db
RESULT 6
US-08-842-322-30
; Sequence 30, Application US/08842322
; Patent No. 6376257
   GENERAL INFORMATION:
     APPLICANT: Persechini, Anthony
     TITLE OF INVENTION: DETECTION BY FRET CHANGES OF LIGAND
     TITLE OF INVENTION: BINDING BY GFP FUSION PROTEINS
     NUMBER OF SEQUENCES: 33
     CORRESPONDENCE ADDRESS:
       ADDRESSEE: NIXON, HARGRAVE, DEVANS & DOYLE LLP
       STREET: Clinton Square, P.O. Box 1051
       CITY: Rochester
       STATE: New York
       COUNTRY: USA
       ZIP: 14603
     COMPUTER READABLE FORM:
       MEDIUM TYPE: Floppy disk
       COMPUTER: IBM PC compatible
       OPERATING SYSTEM: PC-DOS/MS-DOS
       SOFTWARE: PatentIn Release #1.0, Version #1.30
     CURRENT APPLICATION DATA:
       APPLICATION NUMBER: US/08/842,322
       FILING DATE:
       CLASSIFICATION: 436
     ATTORNEY/AGENT INFORMATION:
       NAME: BRAMAN, SUSAN J.
        REGISTRATION NUMBER: 34,103
        REFERENCE/DOCKET NUMBER: 176/60170
      TELECOMMUNICATION INFORMATION:
        TELEPHONE: 716-263-1636
        TELEFAX: 716-263-1600
    INFORMATION FOR SEQ ID NO:
    SEQUENCE CHARACTERISTICS:
        LENGTH: 27 amino acids
        TYPE: amino acid
        STRANDEDNESS: not relevant
        TOPOLOGY: linear
      MOLECULE TYPE: peptide
 US-08-842-322-30
```

Query Match 97.7%; Score 127; DB 3; Length 27;

```
Best Local Similarity 96.3%; Pred. No. 5.8e-12;
                                                                0; Gaps
                               1; Mismatches 0; Indels
           26; Conservative
           1 HSDGTFTSELSRLRESARLQRLLQGLV 27
Qу
             1111111111111111111111111111111111
           1 HSDGTFTSELSRLRDSARLQRLLQGLV 27
Db
RESULT 7
US-09-316-919-52
; Sequence 52, Application US/09316919
; Patent No. 6469154
; GENERAL INFORMATION:
; APPLICANT: Tsien, Roger Y.
 APPLICANT: Baird, Geoffrey
  TITLE OF INVENTION: FLUORESCENT PROTEIN INDICATORS
  FILE REFERENCE: 07257/073001
  CURRENT APPLICATION NUMBER: US/09/316,919
; CURRENT FILING DATE: 1999-05-21
; NUMBER OF SEQ ID NOS: 63
  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 52
   LENGTH: 27
    TYPE: PRT
    ORGANISM: Sus scrofa
US-09-316-919-52
                          97.7%; Score 127; DB 4; Length 27;
  Query Match
  Best Local Similarity 96.3%; Pred. No. 5.8e-12;
                                                                            0;
                                1; Mismatches
                                                 0; Indels
                                                                 0; Gaps
           26; Conservative
            1 HSDGTFTSELSRLRESARLQRLLQGLV 27
Qy
              1111111111111111111111111111111
            1 HSDGTFTSELSRLRDSARLQRLLQGLV 27
Db
RESULT 8
US-09-316-920A-52
; Sequence 52, Application US/09316920A
; Patent No. 6699687
; GENERAL INFORMATION:
; APPLICANT: THE REGENTS OF THE UNIVERSITY OF CALIFORNIA
  APPLICANT: Tsien, Roger Y.
  APPLICANT: Baird, Geoffrey
  TITLE OF INVENTION: CIRCULARLY PERMUTED FLUORESCENT PROTEIN INDICATORS
   FILE REFERENCE: REGEN1470
   CURRENT APPLICATION NUMBER: US/09/316,920A
   CURRENT FILING DATE: 1999-05-21
 ; NUMBER OF SEQ ID NOS: 63
  SOFTWARE: FastSEQ for Windows Version 4.0
 ; SEQ ID NO 52
    LENGTH: 27
    TYPE: PRT
    ORGANISM: Sus scrofa
 US-09-316-920A-52
                          97.7%; Score 127; DB 4; Length 27;
   Query Match
```

```
Best Local Similarity 96.3%; Pred. No. 5.8e-12;
                                                                         0;
                                                            0; Gaps
                                             0; Indels
                             1; Mismatches
          26; Conservative
 Matches
           1 HSDGTFTSELSRLRESARLQRLLQGLV 27
             Qу
           1 HSDGTFTSELSRLRDSARLQRLLQGLV 27
Db
RESULT 9
US-09-897-412-11
; Sequence 11, Application US/09897412
; Patent No. 6780839
; GENERAL INFORMATION:
  APPLICANT: Davis, Richard J
  TITLE OF INVENTION: Use of Secretin-Receptor Ligands in Treatment of Cystic
  TITLE OF INVENTION: Fibrosis (CF) and Chronic Obstructive Pulmonary Disease
                      (COPD)
  TITLE OF INVENTION:
  FILE REFERENCE: 620-148
   CURRENT APPLICATION NUMBER: US/09/897,412
   CURRENT FILING DATE: 2001-07-03
   PRIOR APPLICATION NUMBER: GB 0016441.8
   PRIOR FILING DATE: 2000-07-04
 ; NUMBER OF SEQ ID NOS: 13
   SOFTWARE: PatentIn Ver. 2.1
 ; SEQ ID NO 11
     LENGTH: 27
     TYPE: PRT
     ORGANISM: Sus sp.
 US-09-897-412-11
                          97.7%; Score 127; DB 4; Length 27;
                          96.3%; Pred. No. 5.8e-12;
   Query Match
                                                                           0;
                                                               0; Gaps
   Best Local Similarity
                                               0; Indels
                                 1; Mismatches
             26; Conservative
   Matches
             1 HSDGTFTSELSRLRESARLQRLLQGLV 27
               Qy
             1 HSDGTFTSELSRLRDSARLQRLLQGLV 27
  Db
  RESULT 10
  US-07-924-054-10
  ; Sequence 10, Application US/07924054
  ; Patent No. 5486472
     GENERAL INFORMATION:
       APPLICANT: SUZUKI, No. 5486472uhiro
       APPLICANT: KITADA, Chieko
       APPLICANT: TSUDA, Masao
       TITLE OF INVENTION: ANTIBODY TO PACAP AND USE THEREOF
       NUMBER OF SEQUENCES: 11
       CORRESPONDENCE ADDRESS:
         ADDRESSEE: DAVID G. CONLIN; DIKE, BRONSTEIN, ROBERTS&
   ;
         ADDRESSEE: CUSHMAN
         STREET: 130 Water Street
         CITY: Boston
         STATE: Massachusetts
          COUNTRY: US
```

```
ZIP: 02109
    COMPUTER READABLE FORM:
      MEDIUM TYPE: Floppy disk
      COMPUTER: IBM PC compatible
      OPERATING SYSTEM: PC-DOS/MS-DOS
      SOFTWARE: PatentIn Release #1.0, Version #1.25
    CURRENT APPLICATION DATA:
      APPLICATION NUMBER: US/07/924,054
      FILING DATE: 19920903
      CLASSIFICATION: 435
    ATTORNEY/AGENT INFORMATION:
      NAME: RESNICK, David S
      REGISTRATION NUMBER: 34235
      REFERENCE/DOCKET NUMBER: 40805
    TELECOMMUNICATION INFORMATION:
      TELEPHONE: (617)523-3400
      TELEFAX: (617)523-6440
      TELEX: 200291 STRE UR
  INFORMATION FOR SEQ ID NO: 10:
    SEQUENCE CHARACTERISTICS:
      LENGTH: 27 amino acids
      TYPE: AMINO ACID
      TOPOLOGY: linear
    MOLECULE TYPE: protein
US-07-924-054-10
                         96.9%; Score 126; DB 1; Length 27;
 Query Match
 Best Local Similarity 96.3%; Pred. No. 8.1e-12;
 Matches 26; Conservative 0; Mismatches 1; Indels
                                                               0; Gaps
                                                                           0;
           1 HSDGTFTSELSRLRESARLQRLLQGLV 27
Qу
             11111111111111111111111111111111
           1 HSDGTFTSELSRLREGARLQRLLQGLV 27
RESULT 11
US-08-062-472B-43
; Sequence 43, Application US/08062472B
; Patent No. 5695954
  GENERAL INFORMATION:
    APPLICANT: Sherwood, Nancy G M
     APPLICANT: Parker, David B
    APPLICANT: McRory, John E
    APPLICANT: Lescheid, David W
    TITLE OF INVENTION: DNA ENCODING TWO FISH NEUROPEPTIDES
     NUMBER OF SEQUENCES: 49
     CORRESPONDENCE ADDRESS:
       ADDRESSEE: KLARQUIST, SPARKMAN, CAMPBELL, LEIGH &
       ADDRESSEE: WHINSTON, LLP
       STREET: ONE WORLD TRADE CENTER, SUITE 1600, 121 S.W.
       STREET: SALMON STREET
       CITY: PORTLAND
       STATE: OREGON
       COUNTRY: USA
       ZIP: 97204-2988
     COMPUTER READABLE FORM:
       MEDIUM TYPE: Floppy disk
```

```
COMPUTER: IBM PC compatible
      OPERATING SYSTEM: PC-DOS/MS-DOS
      SOFTWARE: PatentIn Release #1.0, Version #1.30
    CURRENT APPLICATION DATA:
      APPLICATION NUMBER: US/08/062,472B
      FILING DATE: 14-MAY-1993
      CLASSIFICATION: 435
    ATTORNEY/AGENT INFORMATION:
      NAME: POLLEY, RICHARD J
      REGISTRATION NUMBER: 28107
    TELECOMMUNICATION INFORMATION:
      TELEPHONE: (503) 226-7391
      TELEFAX: (503) 228-9446
  INFORMATION FOR SEQ ID NO: 43:
    SEQUENCE CHARACTERISTICS:
      LENGTH: 27 amino acids
      TYPE: amino acid
      STRANDEDNESS: single
      TOPOLOGY: linear
    MOLECULE TYPE: peptide
US-08-062-472B-43
                         96.9%; Score 126; DB 1; Length 27;
 Query Match
 Best Local Similarity 96.3%; Pred. No. 8.1e-12;
                                                                          0;
                               0; Mismatches
                                                1; Indels
                                                               0; Gaps
 Matches 26; Conservative
           1 HSDGTFTSELSRLRESARLQRLLQGLV 27
QУ
             1 HSDGTFTSELSRLREGARLQRLLQGLV 27
Db
RESULT 12
US-09-897-412-10
; Sequence 10, Application US/09897412
; Patent No. 6780839
; GENERAL INFORMATION:
  APPLICANT: Davis, Richard J
   APPLICANT: Page, Keith J
  TITLE OF INVENTION: Use of Secretin-Receptor Ligands in Treatment of Cystic
   TITLE OF INVENTION: Fibrosis (CF) and Chronic Obstructive Pulmonary Disease
                      (COPD)
   TITLE OF INVENTION:
   FILE REFERENCE: 620-148
   CURRENT APPLICATION NUMBER: US/09/897,412
   CURRENT FILING DATE: 2001-07-03
   PRIOR APPLICATION NUMBER: GB 0016441.8
  PRIOR FILING DATE: 2000-07-04
   NUMBER OF SEQ ID NOS: 13
   SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 10
    LENGTH: 27
    TYPE: PRT
    ORGANISM: Homo sapiens
US-09-897-412-10
                         96.9%; Score 126; DB 4; Length 27;
  Query Match
  Best Local Similarity 96.3%; Pred. No. 8.1e-12;
                                                               0; Gaps
                                                                           0;
                                                 1; Indels
  Matches 26; Conservative 0; Mismatches
```

```
1 HSDGTFTSELSRLRESARLQRLLQGLV 27
Qу
             1 HSDGTFTSELSRLREGARLQRLLQGLV 27
Db
RESULT 13
US-07-822-924-10
; Sequence 10, Application US/07822924
; Patent No. 5258453
  GENERAL INFORMATION:
    APPLICANT: J. Kopecek et al.
    TITLE OF INVENTION: A DRUG DELIVERY SYSTEM FOR THE
    TITLE OF INVENTION: SIMULTANEOUS DELIVERY OF DRUGS ACTIVATABLE BY ENZYMES
AND
    TITLE OF INVENTION: LIGHT
;
    NUMBER OF SEQUENCES: Ten
;
    CORRESPONDENCE ADDRESS:
      ADDRESSEE: Thorpe, No. 5258453th & Western
      STREET: 9035 South 700 East, Suite 200
      CITY: Sandy
      STATE: Utah
      COUNTRY: USA
      ZIP: 84070
     COMPUTER READABLE FORM:
      MEDIUM TYPE: Diskette, 3.5 inch, 720 Kb storage
      COMPUTER: compaq LTE/286
      OPERATING SYSTEM: DOS 4.01
      SOFTWARE: Word Perfect 5.1
     CURRENT APPLICATION DATA:
      APPLICATION NUMBER: US/07/822,924
      FILING DATE: 19920121
      CLASSIFICATION: 514
    PRIOR APPLICATION DATA:
      APPLICATION NUMBER: none
       FILING DATE: na
     ATTORNEY/AGENT INFORMATION:
      NAME: Western, M. Wayne
       REGISTRATION NUMBER: 22,788
       REFERENCE/DOCKET NUMBER: T377
     TELECOMMUNICATION INFORMATION:
       TELEPHONE: (801) 566-6633
       TELEFAX: (801) 566-0750
   INFORMATION FOR SEQ ID NO: 10:
     SEQUENCE CHARACTERISTICS:
       LENGTH: 27
       TYPE: AMINO ACID
       TOPOLOGY: linear
US-07-822-924-10
                         95.4%; Score 124; DB 1; Length 27;
  Query Match
  Best Local Similarity 92.6%; Pred. No. 1.6e-11;
          25; Conservative 2; Mismatches 0; Indels 0; Gaps
                                                                          0;
  Matches
            1 HSDGTFTSELSRLRESARLQRLLQGLV 27
Qу
              Db
            1 HSDGTFTSELSRLRDSARLERLLQGLV 27
```

```
RESULT 14
PCT-US93-00683-10
; Sequence 10, Application PC/TUS9300683
  GENERAL INFORMATION:
    APPLICANT: J. Kopecek et al.
    TITLE OF INVENTION: A DRUG DELIVERY SYSTEM FOR THE
    TITLE OF INVENTION: SIMULTANEOUS DELIVERY OF DRUGS ACTIVATABLE BY ENZYMES
AND
    TITLE OF INVENTION: LIGHT
;
    NUMBER OF SEQUENCES:
    CORRESPONDENCE ADDRESS:
      ADDRESSEE: Thorpe, North & Western
       STREET: 9035 South 700 East, Suite 200
      CITY: Sandy
      STATE: Utah
      COUNTRY: USA
       ZIP: 84070
     COMPUTER READABLE FORM:
      MEDIUM TYPE: Diskette, 3.5 inch, 720 Kb storage
       COMPUTER: compaq LTE/286
      OPERATING SYSTEM: DOS 4.01
       SOFTWARE: Word Perfect 5.1
    CURRENT APPLICATION DATA:
       APPLICATION NUMBER: PCT/US93/00683
       FILING DATE: 19930121
      CLASSIFICATION:
    PRIOR APPLICATION DATA:
      APPLICATION NUMBER: US/07/822,924
      FILING DATE: 21 JAN 1992
     ATTORNEY/AGENT INFORMATION:
      NAME: Western, M. Wayne
       REGISTRATION NUMBER: 22,788
      REFERENCE/DOCKET NUMBER: T377
     TELECOMMUNICATION INFORMATION:
       TELEPHONE: (801) 566-6633
       TELEFAX: (801) 566-0750
   INFORMATION FOR SEQ ID NO: 10:
     SEQUENCE CHARACTERISTICS:
       LENGTH: 27
       TYPE: AMINO ACID
       TOPOLOGY: linear
PCT-US93-00683-10
                          95.4%; Score 124; DB 5; Length 27;
  Query Match
  Best Local Similarity 92.6%; Pred. No. 1.6e-11;
                                 2; Mismatches 0; Indels
                                                                0; Gaps
                                                                            0;
  Matches
            25; Conservative
            1 HSDGTFTSELSRLRESARLQRLLQGLV 27
Qу
              111111111111111111111111111111111
            1 HSDGTFTSELSRLRDSARLERLLQGLV 27
RESULT 15
US-09-230-896C-21
 ; Sequence 21, Application US/09230896C
```

```
; Patent No. 6635479
; GENERAL INFORMATION:
; APPLICANT: The Scripps Research Institute
  APPLICANT: Sutcliffe, et al.
 TITLE OF INVENTION: Hypothalamus-Specific Polypeptides
; FILE REFERENCE: TSRI-548.1
; CURRENT APPLICATION NUMBER: US/09/230,896C
; CURRENT FILING DATE: 1999-02-02
; PRIOR APPLICATION NUMBER: 60/023,220
; PRIOR FILING DATE: 1996-08-02
; NUMBER OF SEQ ID NOS: 29
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 21
   LENGTH: 36
   TYPE: PRT
   ORGANISM: ratus ratus
US-09-230-896C-21
 Query Match 94.6%; Score 123; DB 4; Length 36; Best Local Similarity 92.6%; Pred. No. 3.1e-11;
 Matches 25; Conservative 2; Mismatches 0; Indels 0; Gaps 0;
           1 HSDGTFTSELSRLRESARLQRLLQGLV 27
Qу
             1 HSDGTFTSKLSRLRDSARLQRLLQGLV 27
```

Search completed: March 16, 2005, 12:48:20 Job time: 25.6667 secs

GenCore version 5.1.6 Copyright (c) 1993 - 2005 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 16, 2005, 12:32:17; Search time 19.3333 Seconds

(without alignments)

134.372 Million cell updates/sec

Title: US-10-822-677-12

Perfect score: 130

Sequence: 1 HSDGTFTSELSRLRESARLQRLLQGLV 27

Scoring table: BLOSUM62

Gapop 10.0 , Gapext 0.5

Searched: 283416 seqs, 96216763 residues

Total number of hits satisfying chosen parameters: 283416

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database: PIR 79:*

1: pir1:*

2: pir2:*

3: pir3:*

4: pir4:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

| Result | | % Query | | | | |
|--------|-------|------------|--------|----|--------|--------------------|
| No. | Score | Match | Length | DB | ID | Description |
| 1 | 130 | 100.0 | 27 | 2 | A27267 | secretin - dog |
| 2 | 127 | 97.7 | 27 | 1 | SEBO | secretin - bovine |
| .3 | 127 | 97.7 | 27 | 1 | SESH | secretin - sheep |
| 4 | 127 | 97.7 | 131 | 1 | SEPG | secretin precursor |
| 5 | 126 | 96.9 | 27 | 1 | S07443 | secretin - human |
| 6 | 123 | 94.6 | 134 | 2 | A40959 | secretin precursor |
| 7 | 119 | 91.5 | 26 | 1 | B57082 | secretin - guinea |
| 8 | 117 | 90.0 | 133 | 2 | JC2202 | secretin precursor |
| 9 | 113 | 86.9 | 27 | 2 | C60415 | secretin - rabbit |
| 10 | 79 | 60.8 | 27 | 1 | SECH | secretin - chicken |
| 11 | 65 | 50.0 | 180 | 1 | GCGP | glucagon precursor |
| 12 | 63 | 48.5 | 29 | 1 | GCOPV | glucagon - North A |
| 13 | 63 | 48.5 | 29 | 2 | A91740 | glucagon - turkey |

| 14 | 63 | 48.5 | 29 | 2 | C39258 | glucagon - common |
|----|------|------|------|---|--------|--------------------|
| 15 | 63 | 48.5 | 29 | 2 | A91742 | glucagon - Arabian |
| 16 | 63 | 48.5 | 29 | 2 | A91741 | glucagon - rabbit |
| 17 | 63 | 48.5 | 38 | 1 | HWGHS | exendin-1 - Mexica |
| 18 | 63 | 48.5 | 69 | 1 | GCDG69 | glucagon-69 - dog |
| 19 | 63 | 48.5 | 101 | 1 | GCFGB | glucagon precursor |
| 20 | 63 | 48.5 | 151 | 1 | GCCH | glucagon precursor |
| 21 | 63 | 48.5 | 158 | 1 | GCPG | glucagon precursor |
| 22 | 63 | 48.5 | 180 | 1 | GCBO | glucagon precursor |
| 23 | 63 | 48.5 | 180 | 1 | GCHY | glucagon precursor |
| 24 | 63 | 48.5 | 180 | 1 | GCHU | glucagon precursor |
| 25 | 63 | 48.5 | 180 | 1 | GCRT | glucagon precursor |
| 26 | 63 | 48.5 | 180 | 2 | A57294 | glucagon precursor |
| 27 | 63 | 48.5 | 206 | 2 | I51301 | proglucagon - chic |
| 28 | 62 | 47.7 | 39 | 1 | HWGH3Z | exendin-3 - Mexica |
| 29 | 61 | 46.9 | 36 | 2 | D60840 | glucagon II - Euro |
| 30 | 61 | 46.9 | 258 | 2 | G83069 | probable oxidoredu |
| 31 | 60 | 46.2 | 29 | 1 | A61583 | glucagon - ostrich |
| 32 | 60 | 46.2 | 29 | 1 | GCDK | glucagon - duck |
| 33 | 60 | 46.2 | 29 | 1 | GCTTS | glucagon – slider |
| 34 | 60 | 46.2 | 29 | 2 | C60840 | glucagon I - Europ |
| 35 | 59 | 45.4 | 29 | 1 | GCDF | glucagon - smaller |
| 36 | 59 | 45.4 | . 55 | 1 | VRRB | vasoactive intesti |
| 37 | 59 | 45.4 | 58 | 1 | VRPG | vasoactive intesti |
| 38 | . 58 | 44.6 | 29 | 2 | S07211 | glucagon - marbled |
| 39 | 58 | 44.6 | 29 | 2 | S39018 | glucagon - bowfin |
| 40 | 58 | 44.6 | 55 | 1 | VRBO | vasoactive intesti |
| 41 | 58 | 44.6 | 55 | 1 | VRGP | vasoactive intesti |
| 42 | 58 | 44.6 | 55 | 1 | VRSH | vasoactive intesti |
| 43 | 58 | 44.6 | 63 | 1 | GCIDC | glucagon precursor |
| 44 | 58 | 44.6 | 170 | 1 | VRRT | vasoactive intesti |
| 45 | 58 | 44.6 | 170 | 2 | A60037 | vasoactive intesti |

ALIGNMENTS

```
RESULT 1
A27267
secretin - dog
C; Species: Canis lupus familiaris (dog)
C;Date: 31-Mar-1988 #sequence_revision 31-Mar-1988 #text_change 09-Jul-2004
C; Accession: A27267
R; Shinomura, Y.; Eng, J.; Yalow, R.S.
Life Sci. 41, 1243-1248, 1987
A; Title: Dog secretin: sequence and biologic activity.
A; Reference number: A27267; MUID:87314204; PMID:3626755
A; Accession: A27267
A; Molecule type: protein
A; Residues: 1-27 <SHI>
A; Cross-references: UNIPROT: P09910
A; Experimental source: intestine
C; Superfamily: glucagon
C; Keywords: duplication
```

100.0%; Score 130; DB 2; Length 27;

100.0%; Pred. No. 5.1e-13;

Query Match

Best Local Similarity

```
27; Conservative
                                                  0; Indels
                                                                            0;
 Matches
                                0; Mismatches
                                                                0; Gaps
            1 HSDGTFTSELSRLRESARLQRLLQGLV 27
Qу
              Db
            1 HSDGTFTSELSRLRESARLQRLLQGLV 27
RESULT 2
SEBO
secretin - bovine
C; Species: Bos primigenius taurus (cattle)
C;Date: 31-Dec-1991 #sequence revision 31-Dec-1991 #text change 20-Mar-1998
C; Accession: A91291; A01544
R; Carlquist, M.; Jornvall, H.; Mutt, V.
FEBS Lett. 127, 71-74, 1981
A; Title: Isolation and amino acid sequence of bovine secretin.
A; Reference number: A91291; MUID: 81237102; PMID: 7250377
A; Accession: A91291
A; Molecule type: protein
A; Residues: 1-27 <CAR>
C; Superfamily: glucagon
C; Keywords: amidated carboxyl end; duodenal mucosa; duplication; hormone;
secretagoque
F;27/Modified site: amidated carboxyl end (Val) #status experimental
                         97.7%;
                                 Score 127; DB 1; Length 27;
  Best Local Similarity
                         96.3%; Pred. No. 1.5e-12;
 Matches
           26; Conservative
                                1; Mismatches
                                                 0; Indels
                                                                0; Gaps
                                                                            0;
            1 HSDGTFTSELSRLRESARLORLLOGLV 27
Qу
              Db
            1 HSDGTFTSELSRLRDSARLQRLLQGLV 27
RESULT 3
SESH
secretin - sheep
C; Species: Ovis orientalis aries, Ovis ammon aries (domestic sheep)
C; Date: 31-Mar-1993 #sequence revision 31-Mar-1993 #text change 09-Jul-2004
C; Accession: C60072
R; Bounjoua, Y.; Vandermeers, A.; Robberecht, P.; Vandermeers-Piret, M.C.;
Christophe, J.
Regul. Pept. 32, 169-179, 1991
A; Title: Purification and amino acid sequence of vasoactive intestinal peptide,
peptide histidine isoleucinamide and secretin from the ovine small intestine.
A; Reference number: A60072; MUID: 91239834; PMID: 2034821
A; Accession: C60072
A; Molecule type: protein
A; Residues: 1-27 <BOU>
A; Cross-references: UNIPROT: P31299
C; Superfamily: glucagon
C; Keywords: amidated carboxyl end; duplication; hormone; intestine
F;27/Modified site: amidated carboxyl end (Val) #status experimental
                          97.7%; Score 127; DB 1; Length 27;
  Query Match
                         96.3%; Pred. No. 1.5e-12;
  Best Local Similarity
            26; Conservative
                                1; Mismatches
                                                 0; Indels
                                                                0; Gaps
                                                                            0;
```

```
Qу
            1 HSDGTFTSELSRLRESARLQRLLQGLV 27
               111111111111111111111111111
Db
            1 HSDGTFTSELSRLRDSARLQRLLQGLV 27
RESULT 4
SEPG
secretin precursor - pig
C; Species: Sus scrofa domestica (domestic pig)
C;Date: 24-Apr-1984 #sequence revision 12-Apr-1996 #text change 09-Jul-2004
C; Accession: B35094; A01544; A36052
R; Kopin, A.S.; Wheeler, M.B.; Leiter, A.B.
Proc. Natl. Acad. Sci. U.S.A. 87, 2299-2303, 1990
A; Title: Secretin: structure of the precursor and tissue distribution of the
mRNA.
A; Reference number: A35094; MUID: 90192795; PMID: 2315322
A; Accession: B35094
A; Molecule type: mRNA
A; Residues: 1-131 < KOP>
A; Cross-references: UNIPROT: P01279; GB: M31496; NID: q164670; PIDN: AAA31121.1;
PID:g164671
R; Mutt, V.; Jorpes, J.E.; Magnusson, S.
Eur. J. Biochem. 15, 513-519, 1970
A; Title: Structure of porcine secretin. The amino acid sequence.
A; Reference number: A91147; MUID: 70282334; PMID: 5465996
A; Accession: A01544
A; Molecule type: protein
A; Residues: 30-56 <MUT>
A; Note: tryptic peptides were sequenced
R; Gafvelin, G.; Joernvall, H.; Mutt, V.
Proc. Natl. Acad. Sci. U.S.A. 87, 6781-6785, 1990
A; Title: Processing of prosecretin: isolation of a secretin precursor from
porcine intestine.
A; Reference number: A36052; MUID: 90370867; PMID: 2395872
A; Accession: A36052
A; Status: preliminary
A; Molecule type: protein
A; Residues: 30-59, 'R', 92-131 <GAF>
R; Bodanszky, M.; Ondetti, M.A.; Levine, S.D.; Narayanan, V.L.; Saltza, M.V.;
Sheehan, J.T.; Williams, N.J.; Sabo, E.F.
Chem. Ind. 1966, 1757-1758, 1966
A; Title: Synthesis of a heptacosapeptide amide with the hormonal activity of
secretin.
A; Reference number: A90916
A; Contents: annotation
A; Note: synthesis confirmed the proposed structure of the natural hormone
C; Superfamily: glucagon
C; Keywords: amidated carboxyl end; duodenal mucosa; duplication; hormone;
secretagoque
F:1-18/Domain: signal sequence #status predicted <SIG>
F;30-56/Product: secretin #status experimental <MAT>
F;56/Modified site: amidated carboxyl end (Val) (amide in mature form from
following glycine) #status experimental
  Query Match
                           97.7%; Score 127; DB 1; Length 131;
```

96.3%; Pred. No. 8.5e-12;

Best Local Similarity

```
Matches
            26; Conservative
                                 1; Mismatches
                                                   0; Indels
                                                                 0; Gaps
                                                                              0;
            1 HSDGTFTSELSRLRESARLQRLLQGLV 27
Qу
              1111111111111111111111111111111
           30 HSDGTFTSELSRLRDSARLQRLLQGLV 56
Db
RESULT 5
S07443
secretin - human
C; Species: Homo sapiens (man)
C; Date: 10-Sep-1999 #sequence revision 10-Sep-1999 #text change 10-Sep-1999
C; Accession: S07443
R; Carlquist, M.; Joernvall, H.; Forssmann, W.G.; Thulin, L.; Johansson, C.;
Mutt, V.
IRCS Med. Sci. 13, 217-218, 1985
A; Title: Human secretin is not identical to the porcine/bovine hormone.
A; Reference number: S07443
A; Accession: S07443
A; Status: preliminary
A; Molecule type: protein
A; Residues: 1-27 <CAR>
C:Genetics:
A; Gene: GDB: SCT
A; Cross-references: GDB:270550
A; Map position: Xp21.1-Xp21.1
C; Superfamily: glucagon
C; Keywords: amidated carboxyl end; duplication
F;27/Modified site: amidated carboxyl end (Val) #status predicted
  Query Match
                          96.9%; Score 126; DB 1; Length 27;
                          96.3%; Pred. No. 2.1e-12;
  Best Local Similarity
                                                                              0;
                                 0; Mismatches
                                                  1; Indels
                                                                 0; Gaps
  Matches
           26; Conservative
            1 HSDGTFTSELSRLRESARLQRLLQGLV 27
Qу
              Db
            1 HSDGTFTSELSRLREGARLQRLLQGLV 27
RESULT 6
A40959
secretin precursor - rat
C; Species: Rattus norvegicus (Norway rat)
C;Date: 20-Mar-1992 #sequence revision 20-Mar-1992 #text_change 09-Jul-2004
C; Accession: A40886; A40959; A35094; A32544
R; Itoh, N.; Furuya, T.; Ozaki, K.; Ohta, M.; Kawasaki, T.
J. Biol. Chem. 266, 12595-12598, 1991
A; Title: The secretin precursor gene. Structure of the coding region and
expression in the brain.
A; Reference number: A40886; MUID: 91286291; PMID: 2061329
A; Accession: A40886
A; Status: preliminary
A; Molecule type: DNA
A; Residues: 1-134 <ITO>
A; Cross-references: UNIPROT: P11384; GB: M63984; NID: g206889; PIDN: AAA42127.1;
PID:q206890
```

```
R; Kopin, A.S.; Wheeler, M.B.; Nishitani, J.; McBride, E.W.; Chang, T.; Chey,
W.Y.; Leiter, A.B.
Proc. Natl. Acad. Sci. U.S.A. 88, 5335-5339, 1991
A; Title: The secretin gene: evolutionary history, alternative splicing, and
developmental regulation.
A; Reference number: A40959; MUID: 91271384; PMID: 1711228
A; Accession: A40959
A; Status: preliminary
A; Molecule type: DNA
A; Residues: 1-134 <KOP>
A; Cross-references: GB: M64033; NID: q206891; PIDN: AAA42128.1; PID: q206892
R; Kopin, A.S.; Wheeler, M.B.; Leiter, A.B.
Proc. Natl. Acad. Sci. U.S.A. 87, 2299-2303, 1990
A; Title: Secretin: structure of the precursor and tissue distribution of the
A; Reference number: A35094; MUID: 90192795; PMID: 2315322
A; Accession: A35094
A; Status: preliminary
A; Molecule type: mRNA
A; Residues: 1-134 < KOP2>
A;Cross-references: GB:M31495; NID:g206887; PIDN:AAA42126.1; PID:g206888
R; Gossen, D.; Vandermeers, A.; Vandermeers-Piret, M.C.; Rathe, J.; Cauvin, A.;
Robberecht, P.; Christophe, J.
Biochem. Biophys. Res. Commun. 160, 862-867, 1989
A; Title: Isolation and primary structure of rat secretin.
A; Reference number: A32544; MUID: 89246545; PMID: 2719704
A; Accession: A32544
A; Status: preliminary
A; Molecule type: protein
A; Residues: 33-59 <GOS>
C; Superfamily: glucagon
C; Keywords: duplication
  Query Match
                          94.6%; Score 123; DB 2; Length 134;
  Best Local Similarity
                          92.6%; Pred. No. 3.5e-11;
  Matches
           25; Conservative
                                 2; Mismatches
                                                  0;
                                                      Indels
                                                                  0;
                                                                     Gaps
                                                                              0;
            1 HSDGTFTSELSRLRESARLQRLLQGLV 27
Qу
              33 HSDGTFTSELSRLQDSARLQRLLQGLV 59
RESULT 7
B57082
secretin - quinea pig
C; Species: Cavia porcellus (quinea pig)
C;Date: 10-Sep-1999 #sequence revision 10-Sep-1999 #text change 10-Sep-1999
C; Accession: B57082
R; Buscail, L.; Cauvin, A.; Gourlet, P.; Gossen, D.; de Neef, P.; Rathe, J.;
Robberecht, P.; Vandermeers-Piret, M.C.; Vandermeers, A.; Christophe, J.
Biochim. Biophys. Acta 1038, 355-359, 1990
A; Title: Purification and amino acid sequence of vasoactive intestinal peptide,
peptide histidine isoleucinamide (1-27) and secretin from the small intestine of
quinea piq.
A; Reference number: S09688; MUID: 90254163; PMID: 2340294
A; Accession: B57082
A; Molecule type: protein
```

```
A; Residues: 1-26 <BUS>
C; Superfamily: glucagon
C; Keywords: amidated carboxyl end; duodenal mucosa; duplication; hormone;
secretagogue
F;1-26/Product: secretin #status experimental <MAT>
F;26/Modified site: amidated carboxyl end (Val) #status experimental
                          91.5%; Score 119; DB 1; Length 26;
  Query Match
  Best Local Similarity 96.2%; Pred. No. 2.2e-11;
                                                                             0;
            25; Conservative
                                 1; Mismatches
                                                  0; Indels
                                                                 0; Gaps
  Matches
            2 SDGTFTSELSRLRESARLQRLLQGLV 27
Qу
              11111111111111111111111111111
Db
            1 SDGTFTSELSRLRDSARLQRLLQGLV 26
RESULT 8
JC2202
secretin precursor - mouse
C; Species: Mus musculus (house mouse)
C; Date: 30-Sep-1993 #sequence revision 20-Aug-1994 #text change 09-Jul-2004
C; Accession: JC2202; S34214
R; Lan, M.S.; Kajiyama, W.; Donadel, G.; Lu, J.; Notkins, A.L.
Biochem. Biophys. Res. Commun. 200, 1066-1071, 1994
A; Title: cDNA sequence and genomic organization of mouse secretin.
A; Reference number: JC2202; MUID: 94234995; PMID: 8179583
A:Accession: JC2202
A; Molecule type: mRNA
A; Residues: 1-133 <LAN>
A; Cross-references: UNIPROT: Q08535; EMBL: X73580; NID: q313710; PIDN: CAA51982.1;
PID:q313711
C; Comment: This protein regulates the secretion of pancreatic juices and
stimulates insulin secretion.
C; Superfamily: glucagon
C; Keywords: amidated carboxyl end; duplication; hormone; secretagogue
F;1-27/Domain: signal sequence #status predicted <SIG>
F;28-133/Product: prosecretin #status predicted <PRO>
F;32-58/Product: secretin #status predicted <MAT>
F;58/Modified site: amidated carboxyl end (Val) (amide in mature form from
following glycine) #status predicted
                          90.0%;
                                  Score 117; DB 2; Length 133;
  Query Match
                          88.9%; Pred. No. 2.8e-10;
  Best Local Similarity
                                                                             0;
           24; Conservative
                                 2; Mismatches
                                                  1; Indels
                                                                 0; Gaps
  Matches
            1 HSDGTFTSELSRLRESARLQRLLQGLV 27
Qу
              32 HSDGMFTSELSRLQDSARLQRLLQGLV 58
Db
RESULT 9
C60415
secretin - rabbit
C; Species: Oryctolagus cuniculus (domestic rabbit)
C; Date: 03-Feb-1993 #sequence revision 03-Feb-1993 #text change 09-Jul-2004
C; Accession: C60415
```

```
R; Gossen, D.; Buscail, L.; Cauvin, A.; Gourlet, P.; De Neef, P.; Rathe, J.;
Robberecht, P.; Vandermeers-Piret, M.C.; Vandermeers, A.; Christophe, J.
Peptides 11, 123-128, 1990
A; Title: Amino acid sequence of VIP, PHI and secretin from the rabbit small
intestine.
A; Reference number: A60415; MUID: 90259845; PMID: 2342988
A: Accession: C60415
A; Molecule type: protein
A; Residues: 1-27 <GOS>
A; Cross-references: UNIPROT: P32647
C: Superfamily: glucagon
C; Keywords: amidated carboxyl end; duplication; hormone; intestine; secretagogue
F;27/Modified site: amidated carboxyl end (Leu) #status experimental
                                  Score 113; DB 2; Length 27;
                          86.9%;
  Query Match
                          85.2%; Pred. No. 1.9e-10;
  Best Local Similarity
  Matches
                                 2; Mismatches
                                                      Indels
                                                                 0; Gaps
                                                                             0;
           23; Conservative
                                                   2;
            1 HSDGTFTSELSRLRESARLQRLLQGLV 27
Qу
              11111 11111111: 111111111:
Db
            1 HSDGTLTSELSRLRDRARLQRLLQGLL 27
RESULT 10
SECH
secretin - chicken
C; Species: Gallus gallus (chicken)
C;Date: 01-Sep-1981 #sequence revision 01-Sep-1981 #text change 09-Jul-2004
C; Accession: A01545
R; Nilsson, A.; Carlquist, M.; Jornvall, H.; Mutt, V.
Eur. J. Biochem. 112, 383-388, 1980
A; Title: Isolation and characterization of chicken secretin.
A; Reference number: A01545; MUID: 81114197; PMID: 7460928
A; Accession: A01545
A; Molecule type: protein
A; Residues: 1-27 <NIL>
A; Cross-references: UNIPROT: P01280
C; Superfamily: glucagon
C; Keywords: amidated carboxyl end; duplication; hormone
F;27/Modified site: amidated carboxyl end (Met) #status experimental
                          60.8%;
                                  Score 79; DB 1; Length 27;
  Query Match
                                Pred. No. 2.5e-05;
  Best Local Similarity
                          51.9%;
                                                                             0;
           14; Conservative
                                 8; Mismatches
                                                   5; Indels
  Matches
                                                                 0;
                                                                     Gaps
            1 HSDGTFTSELSRLRESARLQRLLQGLV 27
Qу
              1 HSDGLFTSEYSKMRGNAQVQKFIQNLM 27
Db
RESULT 11
GCGP
glucagon precursor - guinea pig
N; Alternate names: oxyntomodulin
N; Contains: glicentin-related peptide; glucagon; glucagon-37 (oxyntomodulin);
glucagon-like peptide 1; glucagon-like peptide 2
C; Species: Cavia porcellus (guinea pig)
```

```
C;Date: 30-Sep-1987 #sequence revision 31-Dec-1992 #text change 09-Jul-2004
C; Accession: A24856; A23849; A60323
R; Seino, S.; Welsh, M.; Bell, G.I.; Chan, S.J.; Steiner, D.F.
FEBS Lett. 203, 25-30, 1986
A; Title: Mutations in the guinea pig preproglucagon gene are restricted to a
specific portion of the prohormone sequence.
A; Reference number: A24856; MUID: 86248118; PMID: 3755107
A; Accession: A24856
A; Molecule type: mRNA
A; Residues: 1-180 <SEI>
A; Cross-references: UNIPROT: P05110; DDBJ: D00014; GB: N00014; NID: q220268;
PIDN:BAA00010.1; PID:g220289
R; Huang, C.G.; Eng, J.; Pan, Y.C.E.; Hulmes, J.D.; Yalow, R.S.
Diabetes 35, 508-512, 1986
A; Title: Guinea pig glucagon differs from other mammalian glucagons.
A; Reference number: A23849; MUID: 86165412; PMID: 3956884
A; Accession: A23849
A; Molecule type: protein
A; Residues: 53-81 <HUA>
R; Conlon, J.M.; Hansen, H.F.; Schwartz, T.W.
Regul. Pept. 11, 309-320, 1985
A; Title: Primary structure of glucagon and a partial sequence of oxyntomodulin
(glucagon-37) from the guinea pig.
A; Reference number: A60323; MUID: 86017849; PMID: 4048553
A; Accession: A60323
A; Molecule type: protein
A; Residues: 53-81 <CON>
A; Note: glucagon-37 was not completely sequenced
C; Superfamily: glucagon
C; Keywords: amidated carboxyl end; carbohydrate metabolism; duplication;
hormone; pancreas
F;1-20/Domain: signal sequence #status predicted <SIG>
F;21-180/Product: proglucagon #status predicted <PGC>
F;21-50/Region: glicentin-related peptide #status predicted
F;53-89/Product: glucagon-37 (oxyntomodulin) #status experimental <G37>
F;53-81/Product: glucagon #status experimental <GCN>
F;98-127/Product: glucagon-like peptide 1 #status predicted <GL1>
F;146-178/Product: glucagon-like peptide 2 #status predicted <GL2>
F;127/Modified site: amidated carboxyl end (Arg) (amide in mature form from
following glycine) #status predicted
                          50.0%;
                                  Score 65; DB 1; Length 180;
  Query Match
  Best Local Similarity
                          48.1%; Pred. No. 0.027;
           13; Conservative
                                  6; Mismatches
                                                    8; Indels
                                                                  0; Gaps
                                                                               0;
            1 HSDGTFTSELSRLRESARLQRLLQGLV 27
Qу
              || || || || : |: || || : |: |:
           53 HSQGTFTSDYSKYLDSRRAQQFLKWLL 79
RESULT 12
glucagon - North American opossum
C; Species: Didelphis virginiana, Didelphis marsupialis virginiana (North
American opossum)
C; Date: 31-Mar-1993 #sequence revision 31-Mar-1993 #text change 09-Jul-2004
C; Accession: JQ0364
```

```
R; Yu, J.H.; Eng, J.; Rattan, S.; Yalow, R.S.
Peptides 10, 1195-1197, 1989
A; Title: Opossum insulin, glucagon and pancreatic polypeptide: amino acid
sequences.
A; Reference number: JQ0362; MUID: 90160042; PMID: 2695899
A; Accession: JQ0364
A; Molecule type: protein
A; Residues: 1-29 <YUJ>
A; Cross-references: UNIPROT: P18108
C; Superfamily: glucagon
C; Keywords: carbohydrate metabolism; duplication; hormone; pancreas
                         48.5%; Score 63; DB 1; Length 29;
 Best Local Similarity
                         48.1%; Pred. No. 0.0069;
 Matches
           13; Conservative
                                5; Mismatches
                                                  9; Indels
                                                                0; Gaps
                                                                            0;
           1 HSDGTFTSELSRLRESARLQRLLQGLV 27
Qу
             1 HSQGTFTSDYSKYLDSRRAQDFVQWLM 27
Dh
RESULT 13
A91740
glucagon - turkey (tentative sequence)
C; Species: Meleagris gallopavo (common turkey)
C;Date: 31-Dec-1991 #sequence revision 31-Dec-1991 #text change 20-Mar-1998
C; Accession: A91740; A01542
R; Markussen, J.; Frandsen, E.; Heding, L.G.; Sundby, F.
Horm. Metab. Res. 4, 360-363, 1972
A; Title: Turkey glucagon: crystallization, amino acid composition and
immunology.
A; Reference number: A91740; MUID: 73074118; PMID: 4645932
A; Accession: A91740
A; Molecule type: protein
A; Residues: 1-29 <MAR>
A; Note: the composition was determined
C; Superfamily: glucagon
C; Keywords: carbohydrate metabolism; duplication; hormone; pancreas
                          48.5%; Score 63; DB 2; Length 29;
  Query Match
                         48.1%; Pred. No. 0.0069;
  Best Local Similarity
           13; Conservative
                                5; Mismatches 9; Indels
                                                                0; Gaps
                                                                            0;
 Matches
           1 HSDGTFTSELSRLRESARLQRLLQGLV 27
Qy
              Db
           1 HSQGTFTSDYSKYLDSRRAQDFVQWLM 27
RESULT 14
C39258
glucagon - common squirrel monkey
C; Species: Saimiri sciureus (common squirrel monkey)
C;Date: 03-May-1994 #sequence revision 03-May-1994 #text change 09-Jul-2004
C; Accession: C39258
R;Yu, J.H.; Eng, J.; Yalow, R.S.
Proc. Natl. Acad. Sci. U.S.A. 87, 9766-9768, 1990
```

```
A; Title: Isolation and amino acid sequences of squirrel monkey (Saimiri sciurea)
insulin and glucagon.
A; Reference number: A39258; MUID: 91088593; PMID: 2263627
A; Accession: C39258
A; Molecule type: protein
A; Residues: 1-29 <YUA>
A; Cross-references: UNIPROT: P25449
A; Note: the amino acid sequence is described but not shown
C; Superfamily: glucagon
C; Keywords: carbohydrate metabolism; duplication; hormone; pancreas
                         48.5%; Score 63; DB 2; Length 29;
 Query Match
                         48.1%; Pred. No. 0.0069;
 Best Local Similarity
           13; Conservative
                                5; Mismatches
                                                 9; Indels
                                                                0; Gaps
                                                                           0;
           1 HSDGTFTSELSRLRESARLQRLLQGLV 27
Qу
             1 HSQGTFTSDYSKYLDSRRAQDFVQWLM 27
Db
RESULT 15
A91742
glucagon - Arabian camel (tentative sequence)
C; Species: Camelus dromedarius (Arabian camel)
C;Date: 31-Dec-1991 #sequence revision 31-Dec-1991 #text change 09-Jul-2004
C; Accession: A91742; A01541
R; Sundby, F.; Markussen, J.; Danho, W.
Horm. Metab. Res. 6, 425, 1974
A; Title: Camel glucagon: isolation, crystallization and amino acid composition.
A; Reference number: A91742; MUID: 75027473; PMID: 4421675
A; Accession: A91742
A; Molecule type: protein
A; Residues: 1-29 <SUN>
A; Cross-references: UNIPROT: P25449
A; Note: the composition was determined
A; Note: electrophoresis indicated the presence of two minor glucagon components
C; Superfamily: glucagon
C; Keywords: carbohydrate metabolism; duplication; hormone; pancreas
                         48.5%; Score 63; DB 2; Length 29;
  Query.Match
                         48.1%; Pred. No. 0.0069;
  Best Local Similarity
                                5; Mismatches
                                                  9; Indels
                                                                           0;
 Matches 13; Conservative
                                                               0; Gaps
           1 HSDGTFTSELSRLRESARLQRLLQGLV 27
Qу
             Db
           1 HSQGTFTSDYSKYLDSRRAQDFVQWLM 27
Search completed: March 16, 2005, 12:46:57
```

Job time : 20.3333 secs

GenCore version 5.1.6 Copyright (c) 1993 - 2005 Compugen Ltd.

OM protein - protein search, using sw model

March 16, 2005, 12:46:04; Search time 76.6667 Seconds Run on:

(without alignments)

116.408 Million cell updates/sec

Title: US-10-822-677-12

Perfect score: 130

1 HSDGTFTSELSRLRESARLQRLLQGLV 27 Sequence:

Scoring table: BLOSUM62

Gapop 10.0 , Gapext 0.5

1401741 seqs, 330541175 residues Searched:

Total number of hits satisfying chosen parameters: 1401741

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Published Applications AA:* Database :

1: /cgn2 6/ptodata/2/pubpaa/US07 PUBCOMB.pep:*

/cqn2 6/ptodata/2/pubpaa/PCT NEW PUB.pep:*

/cgn2 6/ptodata/2/pubpaa/US06 NEW PUB.pep:*

4:

/cgn2 6/ptodata/2/pubpaa/US06_PUBCOMB.pep:*

/cgn2 6/ptodata/2/pubpaa/US07_NEW PUB.pep:*

/cgn2 6/ptodata/2/pubpaa/PCTUS PUBCOMB.pep:*

/cgn2 6/ptodata/2/pubpaa/US08 NEW PUB.pep:* 7:

/cgn2 6/ptodata/2/pubpaa/US08 PUBCOMB.pep:* 8:

/cgn2 6/ptodata/2/pubpaa/US09A PUBCOMB.pep:* 9:

/cgn2 6/ptodata/2/pubpaa/US09B PUBCOMB.pep:* 10:

/cgn2_6/ptodata/2/pubpaa/US09C PUBCOMB.pep:* 11:

12: /cgn2 6/ptodata/2/pubpaa/US09 NEW PUB.pep:*

/cgn2_6/ptodata/2/pubpaa/US10A PUBCOMB.pep:* 13:

14: /cgn2 6/ptodata/2/pubpaa/US10B PUBCOMB.pep:*

15: /cgn2 6/ptodata/2/pubpaa/US10C PUBCOMB.pep:*

/cgn2 6/ptodata/2/pubpaa/US10D PUBCOMB.pep:* `16:

/cgn2 6/ptodata/2/pubpaa/US10 NEW_PUB.pep:* 17:

/cgn2_6/ptodata/2/pubpaa/US11_NEW_PUB.pep:* 18:

19: /cgn2 6/ptodata/2/pubpaa/US60 NEW PUB.pep:*

/cgn2 6/ptodata/2/pubpaa/US60 PUBCOMB.pep:* 20:

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

| Result No. | Score | Query Match | Length | DB | ID | Description |
|---------------|-------|----------------|----------|----------|---------------------------------------|---|
| 1 | 130 | 100.0 | 27 | 9 | US-09-897-412-12 | Sequence 12, Appl |
| 2 | 130 | 100.0 | 27 | 16 | US-10-822-677-12 | Sequence 12, Appl |
| 3 | 127 | 97.7 | 27 | 9 | US-09-897-412-11 | Sequence 11, Appl |
| 4 | .127 | 97.7 | 27 | 9 | US-09-999-745-52 | Sequence 52, Appl |
| . 5 | 127 | 97.7 | 27 | 9 | US-09-554-000-36 | Sequence 36, Appl |
| 6 | 127 | 97.7 | 27 | 14 | US-10-004-530A-19 | Sequence 19, Appl |
| 7 | 127 | 97.7 | 27 | 15 | US-10-398-458-16 | Sequence 16, Appl |
| 8 | 127 | 97.7 | 27 | 16 | US-10-822-677-11 | Sequence 11, Appl |
| 9 | 127 | 97.7 | 27 | 17 | US-10-788-563-19 | Sequence 19, Appl |
| 10 | 126 | 96.9 | 27 | 9 | US-09-897-412-10 | Sequence 10, Appl |
| 11 | 126 | 96.9 | 27 | 14 | US-10-197-954-123 | Sequence 123, App |
| 12 | 126 | 96.9 | 27 | 15 | US-10-343-654-21 | Sequence 21, Appl |
| 13 | 126 | 96.9 | 27 | 16 | US-10-822-677-10 | Sequence 10, Appl |
| 14 | 126 | 96.9 | 27 | 17 | US-10-760-085-123 | Sequence 123, App |
| 15 | 126 | 96.9 | 121 | 15 | US-10-416-314-6 | Sequence 6, Appli |
| 16 | 113 | 86.9 | 27 | 15 | US-10-360-101-96 | Sequence 96, Appl |
| 17 | 69 | 53.1 | 29 | 10 | US-09-847-249A-10 | Sequence 10, Appl |
| 18 | 68 | 52.3 | 29 | 10 | US-09-847-249A-30 | Sequence 30, Appl |
| 19 | 68 | 52.3 | 29 | 10 | US-09-847-249A-38 | Sequence 38, Appl |
| 20 | 68 | 52.3 | 29 | 10 | US-09-847-249A-73 | Sequence 73, Appl |
| 21 | 68 | 52.3 | 29 | 10 | US-09-847-249A-74 | Sequence 74, Appl |
| 22 | 68 | 52.3 | 29 | 10 | US-09-847-249A-75 | Sequence 75, Appl |
| 23 | 68 | 52.3 | 29 | 10 | US-09-847-249A-76 | Sequence 76, Appl |
| 24 | 67 | 51.5 | 29 | 10 | US-09-847-249A-25 | Sequence 25, Appl |
| 25 | 67 | 51.5 | 29 | 10 | US-09-847-249A-28 | Sequence 28, Appl |
| 26 | 67 | 51.5 | 29 | 10 | US-09-847-249A-34 | Sequence 34, Appl |
| 27 | 67 | 51.5 | 29 | 10 | US-09-847-249A-44 | Sequence 44, Appl |
| 28 | 66 | 50.8 | 29 | 10 | US-09-847-249A-9 | Sequence 9, Appli |
| 29 | 66 | 50.8 | 29 | 10 | US-09-847-249A-11 | Sequence 11, Appl |
| 30 | 66 | 50.8 | 30 | 14 | US-10-265-345A-4 | Sequence 4, Appli |
| 31 | 66 | 50.8 | 30 | 15 | US-10-345-751-4 | Sequence 4, Appli |
| 32 | 65 | 50.0 | 29 | 10 | US-09-847-249A-66 | Sequence 66, Appl |
| 33 | 65 | 50.0 | 29 | 10 | US-09-847-249A-67 | Sequence 67, Appl |
| 34 | 65 | 50.0 | 29 | 10 | US-09-847-249A-70 | Sequence 70, Appl |
| 35 | 65 | 50.0 | 29 | 15 | | Sequence 1, Appli |
| 36 | 64 | 49.2 | 31 | 9 | US-09-209-799D-24 | Sequence 24, Appl Sequence 24, Appl |
| 37 | 64 | 49.2 | 31 | | US-09-997-792-24 | <u>-</u> |
| 38 | 63 | 48.5 | 29 | 9 | US-09-847-712-8 | Sequence 8, Appli |
| 39 | 63 | 48.5 | | 10 | US-09-847-249A-8 | Sequence 8, Appli |
| 40 | 63 | 48.5 | | 10 | US-09-847-249A-42 | Sequence 42, Appl |
| 41 | 63 | 48.5 | 29 | 10 | US-09-847-249A-65 | Sequence 65, Appl Sequence 71, Appl |
| 42 | 63 | 48.5 | | 10 | US-09-847-249A-71 | Sequence 21, Appl |
| 43 | . 63 | 48.5 | 29 | 14 | US-10-004-530A-21 US-10-265-345A-1 | Sequence 21, Appli Sequence 1, Appli |
| 44 | 63 | 48.5 | 29 29 | 14 15 | US-10-201-288-27 | Sequence 27, Appli |
| 45 | 63 | 48.5 | 29 | 13 | 03-10-201-200-27 | bequeite 21, Appr |

ALIGNMENTS

RESULT 1 US-09-897-412-12

[;] Sequence 12, Application US/09897412 ; Patent No. US20020142956A1

```
; GENERAL INFORMATION:
  APPLICANT: Davis, Richard J
  APPLICANT: Page, Keith J
  TITLE OF INVENTION: Use of Secretin-Receptor Ligands in Treatment of Cystic
  TITLE OF INVENTION: Fibrosis (CF) and Chronic Obstructive Pulmonary Disease
  TITLE OF INVENTION:
                      (COPD)
  FILE REFERENCE: 620-148
  CURRENT APPLICATION NUMBER: US/09/897,412
  CURRENT FILING DATE: 2001-07-03
  PRIOR APPLICATION NUMBER: GB 0016441.8
  PRIOR FILING DATE: 2000-07-04
 NUMBER OF SEQ ID NOS: 13
  SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 12
   LENGTH: 27
   TYPE: PRT
   ORGANISM: Canis sp.
US-09-897-412-12
  Query Match
                         100.0%; Score 130; DB 9; Length 27;
 Best Local Similarity 100.0%; Pred. No. 6.9e-12;
                                                                          0;
           27; Conservative
                              0; Mismatches 0; Indels
                                                              0; Gaps
 Matches
           1 HSDGTFTSELSRLRESARLQRLLQGLV 27
Qу
             1 HSDGTFTSELSRLRESARLQRLLQGLV 27
RESULT 2
US-10-822-677-12
; Sequence 12, Application US/10822677
; Publication No. US20040191238A1
; GENERAL INFORMATION:
 APPLICANT: Davis, Richard J
 APPLICANT: Page, Keith J
; TITLE OF INVENTION: Use of Secretin-Receptor Ligands in Treatment of Cystic
  TITLE OF INVENTION: Fibrosis (CF) and Chronic Obstructive Pulmonary Disease
  TITLE OF INVENTION:
                       (COPD)
; FILE REFERENCE: 620-148
  CURRENT APPLICATION NUMBER: US/10/822,677
  CURRENT FILING DATE: 2004-04-13
  PRIOR APPLICATION NUMBER: US/09/897,412
; PRIOR FILING DATE: 2001-07-03
  PRIOR APPLICATION NUMBER: GB 0016441.8
  PRIOR FILING DATE: 2000-07-04
; NUMBER OF SEQ ID NOS: 13
  SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 12
   LENGTH: 27
    TYPE: PRT
    ORGANISM: Canis sp.
US-10-822-677-12
                         100.0%; Score 130; DB 16; Length 27;
  Query Match
  Best Local Similarity 100.0%; Pred. No. 6.9e-12;
  Matches 27; Conservative 0; Mismatches 0; Indels
                                                               0;
                                                                   Gaps
```

```
1 HSDGTFTSELSRLRESARLQRLLQGLV 27
Qy
             1 HSDGTFTSELSRLRESARLQRLLQGLV 27
RESULT 3
US-09-897-412-11
; Sequence 11, Application US/09897412
; Patent No. US20020142956A1
; GENERAL INFORMATION:
  APPLICANT: Davis, Richard J
  APPLICANT: Page, Keith J
  TITLE OF INVENTION: Use of Secretin-Receptor Ligands in Treatment of Cystic
  TITLE OF INVENTION: Fibrosis (CF) and Chronic Obstructive Pulmonary Disease
  TITLE OF INVENTION: (COPD)
  FILE REFERENCE: 620-148
  CURRENT APPLICATION NUMBER: US/09/897,412
  CURRENT FILING DATE: 2001-07-03
  PRIOR APPLICATION NUMBER: GB 0016441.8
  PRIOR FILING DATE: 2000-07-04
 NUMBER OF SEQ ID NOS: 13
  SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 11
   LENGTH: 27
   TYPE: PRT
   ORGANISM: Sus sp.
US-09-897-412-11
                         97.7%; Score 127; DB 9; Length 27;
  Query Match
  Best Local Similarity 96.3%; Pred. No. 1.9e-11;
                               1; Mismatches
                                              0; Indels
                                                              0; Gaps
                                                                          0:
  Matches 26; Conservative
           1 HSDGTFTSELSRLRESARLQRLLQGLV 27
Qу
             1 HSDGTFTSELSRLRDSARLQRLLQGLV 27
RESULT 4
US-09-999-745-52
; Sequence 52, Application US/09999745
; Patent No. US20020157120A1
; GENERAL INFORMATION:
  APPLICANT: THE REGENTS OF THE UNIVERSITY OF CALIFORNIA
  APPLICANT: Tsien, Roger Y.
  APPLICANT: Baird, Geoffrey
   TITLE OF INVENTION: CIRCULARLY PERMUTED FLUORESCENT PROTEIN INDICATORS
  FILE REFERENCE: REGEN1470-1
   CURRENT APPLICATION NUMBER: US/09/999,745
   CURRENT FILING DATE: 2001-10-23
   PRIOR APPLICATION NUMBER: 09/316,920
   PRIOR FILING DATE: 1999-05-21
   NUMBER OF SEQ ID NOS: 67
   SOFTWARE: PatentIn version 3.0
; SEQ ID NO 52
   LENGTH: 27
   TYPE: PRT
```

ORGANISM: Sus scrofa

```
97.7%; Score 127; DB 9; Length 27;
  Query Match
  Best Local Similarity 96.3%; Pred. No. 1.9e-11;
 Matches
                               1; Mismatches 0; Indels
                                                                          0;
          26; Conservative
                                                              0; Gaps
           1 HSDGTFTSELSRLRESARLQRLLQGLV 27
Qу
             1 HSDGTFTSELSRLRDSARLQRLLQGLV 27
RESULT 5
US-09-554-000-36
; Sequence 36, Application US/09554000
; Patent No. US20020165364A1
; GENERAL INFORMATION:
; APPLICANT: Tsien, Roger Y.
  APPLICANT: Miyawaki, Atsushi
  TITLE OF INVENTION: FLUORESCENT PROTEIN SENSORS FOR
  TITLE OF INVENTION: DETECTION OF ANALYTES
  FILE REFERENCE: 07257/042001
  CURRENT APPLICATION NUMBER: US/09/554,000
   CURRENT FILING DATE: 2000-04-20
  PRIOR APPLICATION NUMBER: 08/818,252
  PRIOR FILING DATE: 1997-03-14
  NUMBER OF SEQ ID NOS: 56
   SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 36
   LENGTH: 27
   TYPE: PRT
   ORGANISM: Sus scrofa
US-09-554-000-36
  Query Match
                         97.7%; Score 127; DB 9; Length 27;
  Best Local Similarity
                        96.3%; Pred. No. 1.9e-11;
                               1; Mismatches
                                               0; Indels
 Matches
           26: Conservative
                                                              0; Gaps
           1 HSDGTFTSELSRLRESARLQRLLQGLV 27
Qу
             Db
           1 HSDGTFTSELSRLRDSARLQRLLQGLV 27
RESULT 6
US-10-004-530A-19
; Sequence 19, Application US/10004530A
; Publication No. US20030050436A1
; GENERAL INFORMATION:
; APPLICANT: Coy, David H.
  APPLICANT: Moreau, Jacques-Pierre
   APPLICANT: Kim, Sun H.
   TITLE OF INVENTION: OCTAPEPTIDE BOMBESIN ANALOGS
   FILE REFERENCE: 00537-00900K
   CURRENT APPLICATION NUMBER: US/10/004,530A
   CURRENT FILING DATE: 2002-08-09
   PRIOR APPLICATION NUMBER: 09/260,846
   PRIOR FILING DATE: 1999-03-02
   PRIOR APPLICATION NUMBER: 08/337,127
```

```
PRIOR FILING DATE: 1994-11-10
  PRIOR APPLICATION NUMBER: 07/779,039
  PRIOR FILING DATE: 1991-10-18
  PRIOR APPLICATION NUMBER: 07/502,438
  PRIOR FILING DATE: 1990-03-30
  PRIOR APPLICATION NUMBER: 07/397,169
  PRIOR FILING DATE: 1989-08-21
  PRIOR APPLICATION NUMBER: 07/376,555
  PRIOR FILING DATE: 1989-07-07
  PRIOR APPLICATION NUMBER: 07/317,941
  PRIOR FILING DATE: 1989-03-02
  PRIOR APPLICATION NUMBER: 07/282,328
  PRIOR FILING DATE: 1988-12-09
  PRIOR APPLICATION NUMBER: 07/257,998
  PRIOR FILING DATE: 1988-10-14
  PRIOR APPLICATION NUMBER: 07/248,771
  PRIOR FILING DATE: 1988-09-23
  Prior Application data removed - See File Wrapper or PALM.
  NUMBER OF SEQ ID NOS: 26
  SOFTWARE: FastSEQ for Windows Version 4.0
 SEO ID NO 19
   LENGTH: 27
    TYPE: PRT
   ORGANISM: Homo sapiens
US-10-004-530A-19
  Query Match
                          97.7%; Score 127; DB 14; Length 27;
  Best Local Similarity 96.3%; Pred. No. 1.9e-11;
                                                                 0; Gaps
  Matches 26; Conservative 1; Mismatches
                                                  0; Indels
                                                                             0;
           1 HSDGTFTSELSRLRESARLQRLLQGLV 27
Qу
              1111111111111111111111111111111
           1 HSDGTFTSELSRLRDSARLQRLLQGLV 27
RESULT 7
US-10-398-458-16
; Sequence 16, Application US/10398458
; Publication No. US20040024184A1
; GENERAL INFORMATION:
  APPLICANT: Kossida, Sophia
  TITLE OF INVENTION: Regulation of Human Secretin
  TITLE OF INVENTION: Receptor-Like GPCR
   FILE REFERENCE: 004974.00987
   CURRENT APPLICATION NUMBER: US/10/398,458
   CURRENT FILING DATE: 2003-04-04
   PRIOR APPLICATION NUMBER: PCT/EP01/11439
   PRIOR FILING DATE: 2001-10-04
   PRIOR APPLICATION NUMBER: US 60/238,126
   PRIOR FILING DATE: 2000-10-06
   NUMBER OF SEQ ID NOS: 16
   SOFTWARE: FastSEQ for Windows Version 4.0
 SEQ ID NO 16
    LENGTH: 27
    TYPE: PRT
    ORGANISM: Homo sapiens
US-10-398-458-16
```

```
97.7%; Score 127; DB 15; Length 27;
  Query Match
  Best Local Similarity 96.3%; Pred. No. 1.9e-11;
                                                                 0; Gaps
                                 1; Mismatches
                                                  0; Indels
  Matches
           26; Conservative
            1 HSDGTFTSELSRLRESARLQRLLQGLV 27
              11111111111111111111111111111
            1 HSDGTFTSELSRLRDSARLQRLLQGLV 27
RESULT 8
US-10-822-677-11
; Sequence 11, Application US/10822677
; Publication No. US20040191238A1
; GENERAL INFORMATION:
 APPLICANT: Davis, Richard J
  APPLICANT: Page, Keith J
   TITLE OF INVENTION: Use of Secretin-Receptor Ligands in Treatment of Cystic
   TITLE OF INVENTION: Fibrosis (CF) and Chronic Obstructive Pulmonary Disease
   TITLE OF INVENTION:
                        (COPD)
   FILE REFERENCE: 620-148
   CURRENT APPLICATION NUMBER: US/10/822,677
   CURRENT FILING DATE: 2004-04-13
   PRIOR APPLICATION NUMBER: US/09/897,412
   PRIOR FILING DATE: 2001-07-03
  PRIOR APPLICATION NUMBER: GB 0016441.8
  PRIOR FILING DATE: 2000-07-04
   NUMBER OF SEQ ID NOS: 13
   SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 11
    LENGTH: 27
    TYPE: PRT
    ORGANISM: Sus sp.
US-10-822-677-11
                          97.7%; Score 127; DB 16; Length 27;
  Query Match
  Best Local Similarity 96.3%; Pred. No. 1.9e-11;
                                                                             0;
                                                                 0; Gaps
            26; Conservative
                                 1; Mismatches
                                                  0;
                                                       Indels
  Matches
            1 HSDGTFTSELSRLRESARLQRLLQGLV 27
Qу
              1111111111111111111111111111111
            1 HSDGTFTSELSRLRDSARLQRLLQGLV 27
Db
RESULT 9
US-10-788-563-19
; Sequence 19, Application US/10788563
; Publication No. US20050026827A1
; GENERAL INFORMATION:
   APPLICANT: Coy, David H.
   APPLICANT: Moreau, Jacques-Pierre
   APPLICANT: Kim, Sun H.
   TITLE OF INVENTION: OCTAPEPTIDE BOMBESIN ANALOGS
   FILE REFERENCE: 00537-00900K
   CURRENT APPLICATION NUMBER: US/10/788,563
   CURRENT FILING DATE:
                         2004-02-27
   PRIOR APPLICATION NUMBER: US/10/004,530
```

```
PRIOR FILING DATE: 2001-10-23
  PRIOR APPLICATION NUMBER: 09/260,846
   PRIOR FILING DATE: 1999-03-02
   PRIOR APPLICATION NUMBER: 08/337,127
  PRIOR FILING DATE: 1994-11-10
   PRIOR APPLICATION NUMBER: 07/779,039
   PRIOR FILING DATE: 1991-10-18
   PRIOR APPLICATION NUMBER: 07/502,438
   PRIOR FILING DATE: 1990-03-30
   PRIOR APPLICATION NUMBER: 07/397,169
   PRIOR FILING DATE: 1989-08-21
   PRIOR APPLICATION NUMBER: 07/376,555
   PRIOR FILING DATE: 1989-07-07
   PRIOR APPLICATION NUMBER: 07/317,941
   PRIOR FILING DATE: 1989-03-02
   PRIOR APPLICATION NUMBER: 07/282,328
   PRIOR FILING DATE: 1988-12-09
   PRIOR APPLICATION NUMBER: 07/257,998
   PRIOR FILING DATE: 1988-10-14
   Remaining Prior Application data removed - See File Wrapper or PALM.
   NUMBER OF SEQ ID NOS: 26
  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 19
    LENGTH: 27
    TYPE: PRT
    ORGANISM: Homo sapiens
US-10-788-563-19
                          97.7%; Score 127; DB 17; Length 27;
  Query Match
  Best Local Similarity 96.3%; Pred. No. 1.9e-11;
                                                                0; Gaps
                                                                            0:
  Matches 26; Conservative
                                1; Mismatches
                                                  0; Indels
            1 HSDGTFTSELSRLRESARLQRLLQGLV 27
Qy
              1 HSDGTFTSELSRLRDSARLQRLLQGLV 27
RESULT 10
US-09-897-412-10
 ; Sequence 10, Application US/09897412
 ; Patent No. US20020142956A1
 ; GENERAL INFORMATION:
; APPLICANT: Davis, Richard J
  APPLICANT: Page, Keith J
   TITLE OF INVENTION: Use of Secretin-Receptor Ligands in Treatment of Cystic
   TITLE OF INVENTION: Fibrosis (CF) and Chronic Obstructive Pulmonary Disease
   TITLE OF INVENTION: (COPD)
   FILE REFERENCE: 620-148
    CURRENT APPLICATION NUMBER: US/09/897,412
    CURRENT FILING DATE: 2001-07-03
    PRIOR APPLICATION NUMBER: GB 0016441.8
    PRIOR FILING DATE: 2000-07-04
   NUMBER OF SEQ ID NOS: 13
    SOFTWARE: PatentIn Ver. 2.1
 ; SEQ ID NO 10
    LENGTH: 27
     TYPE: PRT
```

```
; ORGANISM: Homo sapiens
US-09-897-412-10
                        96.9%; Score 126; DB 9; Length 27;
 Query Match
                        96.3%; Pred. No. 2.6e-11;
  Best Local Similarity
                                                                         0;
                                                             0; Gaps
           26; Conservative
                               0; Mismatches
                                                1; Indels
 Matches
           1 HSDGTFTSELSRLRESARLQRLLQGLV 27
Qу
             1 HSDGTFTSELSRLREGARLQRLLQGLV 27
RESULT 11
US-10-197-954-123
; Sequence 123, Application US/10197954
; Publication No. US20030119021A1
; GENERAL INFORMATION:
  APPLICANT: K"ster, Hubert
  APPLICANT: Siddiqi, Suhaib
  APPLICANT: Little, Daniel
  TITLE OF INVENTION: Capture Compounds, Collections Thereof
  TITLE OF INVENTION: And Methods For Analyzing The Proteome And Complex
  TITLE OF INVENTION: Compositions
  FILE REFERENCE: 24743-2305
  CURRENT APPLICATION NUMBER: US/10/197,954
  CURRENT FILING DATE: 2002-07-16
  PRIOR APPLICATION NUMBER: 60/306,019
  PRIOR FILING DATE: 2001-07-16
 PRIOR APPLICATION NUMBER: 60/314,123
  PRIOR FILING DATE: 2001-08-21
  PRIOR APPLICATION NUMBER: 60/363,433
  PRIOR FILING DATE: 2002-03-11
  NUMBER OF SEQ ID NOS: 149
  SOFTWARE: FastSEQ for Windows Version 4.0
; SEO ID NO 123
    LENGTH: 27
    TYPE: PRT
    ORGANISM: Homo Sapien
US-10-197-954-123
                         96.9%; Score 126; DB 14; Length 27;
  Query Match
  Best Local Similarity 96.3%; Pred. No. 2.6e-11;
                                                                          0;
                                                              0; Gaps
                                0; Mismatches
                                                1; Indels
  Matches
          26; Conservative
           1 HSDGTFTSELSRLRESARLQRLLQGLV 27
Qу
             1 HSDGTFTSELSRLREGARLQRLLQGLV 27
RESULT 12
US-10-343-654-21
; Sequence 21, Application US/10343654
; Publication No. US20030204063A1
; GENERAL INFORMATION:
; APPLICANT: Denis Gravel (Inventor)
; APPLICANT: Abdelkrim Habi (Inventor)
; APPLICANT: Thierry Abribat (Inventor)
```

```
; APPLICANT: Theratechnologies Inc. (Assignee)
   TITLE OF INVENTION: Modified Biological Peptides with
   TITLE OF INVENTION: Increased Potency
   FILE REFERENCE: 12411-22PCT
   CURRENT APPLICATION NUMBER: US/10/343,654
    CURRENT FILING DATE: 2003-02-03
   NUMBER OF SEQ ID NOS: 50
    SOFTWARE: FastSEQ for Windows Version 4.0
 ; SEQ ID NO 21
    LENGTH: 27
     TYPE: PRT
     ORGANISM: human
     FEATURE:
    NAME/KEY: AMIDATION
     LOCATION: (27)...(27)
 US-10-343-654-21
                          96.9%; Score 126; DB 15; Length 27;
   Query Match
                          96.3%; Pred. No. 2.6e-11;
   Best Local Similarity
                                                                           0;
                                 0; Mismatches
                                                 1; Indels
   Matches 26; Conservative
             1 HSDGTFTSELSRLRESARLQRLLQGLV 27
 Qу
              11111111111111
             1 HSDGTFTSELSRLREGARLQRLLQGLV 27
 RESULT 13
· US-10-822-677-10
 ; Sequence 10, Application US/10822677
 ; Publication No. US20040191238A1
 ; GENERAL INFORMATION:
 ; APPLICANT: Davis, Richard J
   APPLICANT: Page, Keith J
    TITLE OF INVENTION: Use of Secretin-Receptor Ligands in Treatment of Cystic
    TITLE OF INVENTION: Fibrosis (CF) and Chronic Obstructive Pulmonary Disease
                        (COPD)
    TITLE OF INVENTION:
 ;
  FILE REFERENCE: 620-148
   CURRENT APPLICATION NUMBER: US/10/822,677
   CURRENT FILING DATE: 2004-04-13
   PRIOR APPLICATION NUMBER: US/09/897,412
   PRIOR FILING DATE: 2001-07-03
   PRIOR APPLICATION NUMBER: GB 0016441.8
    PRIOR FILING DATE: 2000-07-04
 ; NUMBER OF SEQ ID NOS: 13
   SOFTWARE: PatentIn Ver. 2.1
 ; SEQ ID NO 10
     LENGTH: 27
     TYPE: PRT
     ORGANISM: Homo sapiens
 US-10-822-677-10
                          96.9%; Score 126; DB 16; Length 27;
   Query Match
   Best Local Similarity 96.3%; Pred. No. 2.6e-11;
                                 0; Mismatches 1; Indels
   Matches 26; Conservative
             1 HSDGTFTSELSRLRESARLQRLLQGLV 27
 Qy
```

```
RESULT 14
US-10-760-085-123
; Sequence 123, Application US/10760085
; Publication No. US20050042771A1
; GENERAL INFORMATION:
; APPLICANT: Hubert K"ster
  APPLICANT: Daniel Paul Little
  APPLICANT: Suhaib Mahmood Siddiqi
  APPLICANT: Mattew Peter Grealish
  APPLICANT: Subramaniam Marappan
  APPLICANT: Chester Frederick Hassman III
  APPLICANT: Ping Yip
  TITLE OF INVENTION: Capture Compounds, Collections Thereof
  TITLE OF INVENTION: And Methods For Analyzing The Proteome And Complex
  TITLE OF INVENTION: Compositions
   FILE REFERENCE: 24743-2309
  CURRENT APPLICATION NUMBER: US/10/760,085
  CURRENT FILING DATE: 2004-01-16
  PRIOR APPLICATION NUMBER: 60/441,398
  PRIOR FILING DATE: 2003-01-16
  NUMBER OF SEQ ID NOS: 149
   SOFTWARE: FastSEQ for Windows Version 4.0
 SEQ ID NO 123
    LENGTH: 27
    TYPE: PRT
    ORGANISM: Homo Sapien
US-10-760-085-123
                         96.9%; Score 126; DB 17; Length 27;
  Query Match
                         96.3%; Pred. No. 2.6e-11;
  Best Local Similarity
           26; Conservative
                                0; Mismatches
                                                 1; Indels 0; Gaps
  Matches
            1 HSDGTFTSELSRLRESARLQRLLQGLV 27
Qу
              111111111111111
            1 HSDGTFTSELSRLREGARLQRLLQGLV 27
RESULT 15
US-10-416-314-6
; Sequence 6, Application US/10416314
; Publication No. US20040082508A1
; GENERAL INFORMATION:
; APPLICANT: YUE, Henry
   APPLICANT: YAO, Monique G.
              GANDHI, Ameena R.
   APPLICANT:
              BAUGHN, Mariah R.
   APPLICANT:
   APPLICANT:
               SWARNAKAR, Anita
   APPLICANT: CHAWLA, Narinder K.
   APPLICANT: SANJANWALA, Madhusudan M.
   APPLICANT: THORNTON, Michael B.
               ELLIOTT, Vicki S.
  APPLICANT:
  APPLICANT:
              LU, Yan
               GIETZEN, Kimberly J.
   APPLICANT:
   APPLICANT: BURFORD, Neil
```

```
APPLICANT: DING, Li
  APPLICANT:
              HAFALIA, April J.A.
              TANG, Y. Tom
  APPLICANT:
              BANDMAN, Olga
  APPLICANT:
              WARREN, Bridget A.
  APPLICANT:
  APPLICANT: HONCHELL, Cynthia D.
  APPLICANT: LU, Dyung Aina M.
  APPLICANT: THANGAVELU, Kavitha
  APPLICANT: LEE, Sally
  APPLICANT:
              XU, Yuming
  APPLICANT: YANG, Junming
  APPLICANT: LAL, Preeti G.
  APPLICANT: TRAN, Bao
  APPLICANT: ISON, Craig H.
  APPLICANT: DUGGAN, Brendan M.
  APPLICANT: KAREHT, Stephanie K.
  TITLE OF INVENTION: SECRETED PROTEINS
  FILE REFERENCE: PI-0287 USN
  CURRENT APPLICATION NUMBER: US/10/416,314
  CURRENT FILING DATE: 2003-05-08
  PRIOR APPLICATION NUMBER: US 60/247,505
  PRIOR FILING DATE: 2000-11-08
; PRIOR APPLICATION NUMBER: US 60/249,642
  PRIOR FILING DATE: 2000-11-09
  PRIOR APPLICATION NUMBER: US 60/249,824
  PRIOR FILING DATE: 2000-11-16
  PRIOR APPLICATION NUMBER: US 60/252,824
  PRIOR FILING DATE: 2000-11-21
  PRIOR APPLICATION NUMBER: US 60/254,305
  PRIOR FILING DATE: 2000-12-08
  PRIOR APPLICATION NUMBER: US 60/256,448
  PRIOR FILING DATE: 2000-12-18
  NUMBER OF SEQ ID NOS: 130
  SOFTWARE: PERL Program
 SEQ ID NO 6
   LENGTH: 121
   TYPE: PRT
   ORGANISM: Homo sapiens
   FEATURE:
   NAME/KEY: misc feature
   OTHER INFORMATION: Incyte ID No: 1799943CD1
US-10-416-314-6
                         96.9%; Score 126; DB 15; Length 121;
  Query Match
  Best Local Similarity 96.3%; Pred. No. 1.4e-10;
                                0; Mismatches
                                                .1;
                                                      Indels
                                                                0; Gaps
           26; Conservative
            1 HSDGTFTSELSRLRESARLQRLLQGLV 27
Qy
              11111111111111 111111111111111
           28 HSDGTFTSELSRLREGARLQRLLQGLV 54
```

Search completed: March 16, 2005, 13:08:12 Job time: 76.6667 secs

GenCore version 5.1.6 Copyright (c) 1993 - 2005 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 16, 2005, 12:31:22; Search time 93 Seconds

(without alignments)

148.668 Million cell updates/sec

Title: US-10-822-677-12

Perfect score: 130

Sequence: 1 HSDGTFTSELSRLRESARLQRLLQGLV 27

Scoring table: BLOSUM62

Gapop 10.0 , Gapext 0.5

Searched: 1612378 seqs, 512079187 residues

Total number of hits satisfying chosen parameters: 1612378

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

0.

Maximum Match 100%

Listing first 45 summaries

Database: UniProt 03:*

1: uniprot_sprot:*
2: uniprot_trembl:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

| | | | ₹ | | | | • | | |
|----|-------|-------|-------|--------|----|------------|---|--------|-------------|
| ·R | esult | | Query | • | | | | | |
| | No. | Score | Match | Length | DB | ID | D | escrip | tion |
| | 1 | 130 | 100.0 | 27 | 1 | SECR CANFA | P | 09910 | canis famil |
| | 2 | 127 | 97.7 | 27 | 1 | SECR BOVIN | P | 63296 | bos taurus |
| | 3 | 127 | 97.7 | 27 | 1 | SECR CAVPO | P | 63297 | cavia porce |
| | 4 | 127 | 97.7 | 27 | 1 | SECR SHEEP | | | ovis aries |
| | 5 | 127 | 97.7 | 131 | 1 | SECR PIG | P | 63298 | sus scrofa |
| | 6 | 126 | 96.9 | 121 | 1 | SECR HUMAN | P | 09683 | homo sapien |
| | 7 | 123 | 94.6 | 134 | 1 | SECR RAT | P | 11384 | rattus norv |
| | 8 | 117 | 90.0 | 133 | 1 | SECR MOUSE | Q | 08535 | mus musculu |
| | 9 | 117 | 90.0 | 139 | 2 | Q80ZS9 | Q | 80zs9 | mus musculu |
| | 10 | 113 | 86.9 | 27 | 1 | SECR RABIT | | | oryctolagus |
| | 11 | 79 | 60.8 | 27 | 1 | SECR CHICK | | | gallus gall |
| | 12 | 65 | 50.0 | 180 | 1 | GLUC CAVPO | P | 05110 | c glucagon |
| | 13 | 64 | 49.2 | 266 | 2 | Q6DIZ4 | Q | 6diz4 | xenopus tro |
| | 14 | 63 | 48.5 | 29 | 1 | GLUC CAMDR | P | 68273 | camelus dro |
| | 15 | . 63 | 48.5 | 29 | 1 | GLUC DIDMA | P | 18108 | didelphis m |
| | | | | | | | | | |

| 16 | 63 | 48.5 | 29 | 1 | GLUC_MELGA | P68260 | meleagris g |
|------|----|------|-----|---|------------|--------|-------------|
| 17 | 63 | 48.5 | 29 | 1 | GLUC_RABIT | P68274 | oryctolagus |
| 18 . | 63 | 48.5 | 29 | 1 | GLUC_SAISC | P68275 | saimiri sci |
| 19 | 63 | 48.5 | 38 | 1 | EXE1_HELSU | P04203 | heloderma s |
| 20 | 63 | 48.5 | 103 | 1 | GLUC RANCA | P15438 | rana catesb |
| 21 | 63 | 48.5 | 176 | 1 | GLUC SHEEP | Q8mj25 | o glucagon |
| 22 | 63 | 48.5 | 180 | 1 | GLUC_BOVIN | P01272 | b glucagon |
| 23 | 63 | 48.5 | 180 | 1 | GLUC CANFA | | c glucagon |
| 24 | 63 | 48.5 | 180 | 1 | GLUC HUMAN | P01275 | h glucagon |
| 25 | 63 | 48.5 | 180 | 1 | GLUC MESAU | P01273 | m glucagon |
| 26 | 63 | 48.5 | 180 | 1 | GLUC MOUSE | P55095 | m glucagon |
| 27 | 63 | 48.5 | 180 | 1 | GLUC_PIG | P01274 | s glucagon |
| 28 | 63 | 48.5 | 180 | 1 | GLUC_RAT | P06883 | r glucagon |
| 29 | 63 | 48.5 | 206 | 1 | GLUC_CHICK | P68259 | g glucagon |
| 30 | 63 | 48.5 | 219 | 1 | GLU2_XENLA | 042144 | xenopus lae |
| 31 | 63 | 48.5 | 220 | 2 | Q8UWL9 | Q8uwl9 | hoplobatrac |
| 32 | 63 | 48.5 | 266 | 1 | GLU1_XENLA | 042143 | xenopus lae |
| 33 | 62 | 47.7 | 39 | 1 | EXE3_HELHO | P20394 | heloderma h |
| 34 . | 62 | 47.7 | 87 | 2 | Q7SZU6 | Q7szu6 | heloderma h |
| 35 | 61 | 46.9 | 124 | 2 | Q6RYB1 | Q6ryb1 | agkistrodon |
| 36 | 61 | 46.9 | 258 | 2 | Q9HVH6 | Q9hvh6 | pseudomonas |
| 37 | 60 | 46.2 | 29 | 1 | GLUC_ANAPL | P01276 | anas platyr |
| 38 | 60 | 46.2 | 204 | 1 | GLUC_HELSU | 012956 | h glucagon |
| 39 | 59 | 45.4 | 62 | 1 | GLUC_SCYCA | P09687 | scyliorhinu |
| 40 | 59 | 45.4 | 72 | 1 | VIP_PIG | P01284 | sus scrofa |
| 41 | 59 | 45.4 | 72 | 1 | VIP_RABIT | P32649 | oryctolagus |
| 42 | 59 | 45.4 | 120 | 2 | Q6RYB7 | Q6ryb7 | ictalurus p |
| 43 | 59 | 45.4 | 258 | 2 | Q87WB1 | | pseudomonas |
| 44 | 58 | 44.6 | 29 | 1 | GLUC_TORMA | | torpedo mar |
| 45 | 58 | 44.6 | 71 | 1 | GLUC_ICTPU | P04093 | ictalurus p |

ALIGNMENTS

```
RESULT 1
SECR CANFA
ID
     SECR CANFA
                    STANDARD:
                                    PRT:
                                            27 AA.
AC
     P09910;
     01-MAR-1989 (Rel. 10, Created)
DΤ
     01-MAR-1989 (Rel. 10, Last sequence update)
.DT
DT
     05-JUL-2004 (Rel. 44, Last annotation update)
DΕ
     Secretin.
GN
     Name=SCT;
OS
     Canis familiaris (Dog).
OC
     Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC
     Mammalia; Eutheria; Carnivora; Fissipedia; Canidae; Canis.
OX
     NCBI TaxID=9615;
RN
     [1]
RP
     SEQUENCE.
RC
     TISSUE=Intestine;
     MEDLINE=87314204; PubMed=3626755; DOI=10.1016/0024-3205(87)90202-5;
RX
RA
     Shinomura Y., Eng J., Yalow R.S.;
RT
     "Dog secretin: sequence and biologic activity.";
RL
     Life Sci. 41:1243-1248(1987).
CC
     -!- FUNCTION: Stimulates formation of NaHCO(3)-rich pancreatic juice
         and secretion of NaHCO(3)-rich bile and inhibits HCl production by
CC
```

```
CC
         the stomach.
CC
     -!- SUBCELLULAR LOCATION: Secreted.
CC
     -!- SIMILARITY: Belongs to the glucagon family.
     PIR; A27267; A27267.
DR
DR
     InterPro; IPR000532; Glucagon.
DR
     Pfam; PF00123; Hormone 2; 1.
DR
     PROSITE; PS00260; GLUCAGON; 1.
KW
     Amidation; Direct protein sequencing; Glucagon family; Hormone.
FT
     MOD RES
                  27
                         27
                                  Valine amide.
     SEQUENCE
                27 AA; 3070 MW; 2D4015814F955B78 CRC64;
SO
  Query Match
                          100.0%; Score 130; DB 1; Length 27;
  Best Local Similarity 100.0%; Pred. No. 4.4e-12;
                                0; Mismatches
  Matches
            27; Conservative
                                                   0;
                                                      Indels
                                                                 0; Gaps
                                                                             0;
            1 HSDGTFTSELSRLRESARLQRLLQGLV 27
Qу
              Db
            1 HSDGTFTSELSRLRESARLQRLLQGLV 27
RESULT 2
SECR BOVIN
ID
     SECR BOVIN
                    STANDARD;
                                   PRT:
                                           27 AA.
     P63296; P01279; Q9TR13;
AC
DT
     21-JUL-1986 (Rel. 01, Created)
     25-OCT-2004 (Rel. 45, Last sequence update)
DT
     25-OCT-2004 (Rel. 45, Last annotation update)
DE
     Secretin.
GN
     Name=SCT;
os
     Bos taurus (Bovine).
OC
     Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
     Mammalia; Eutheria; Cetartiodactyla; Ruminantia; Pecora; Bovidae;
OC
OC
     Bovinae; Bos.
OX
     NCBI TaxID=9913;
RN
     [1]
RP
     SEQUENCE.
     MEDLINE=81237102; PubMed=7250377; DOI=10.1016/0014-5793(81)80343-2;
RX
RA
     Carlquist M., Joernvall H., Mutt V.;
RT
     "Isolation and amino acid sequence of bovine secretin.";
RL
     FEBS Lett. 127:71-74(1981).
CC
     -!- FUNCTION: Stimulates formation of NaHCO(3)-rich pancreatic juice
         and secretion of NaHCO(3)-rich bile and inhibits HCl production by
CC
CC
         the stomach.
CC
     -!- SUBCELLULAR LOCATION: Secreted.
CC
     -!- SIMILARITY: Belongs to the glucagon family.
DR
     InterPro; IPR000532; Glucagon.
     Pfam; PF00123; Hormone 2; 1.
DR
DR
     PROSITE; PS00260; GLUCAGON; 1.
KW
     Amidation; Direct protein sequencing; Glucagon family; Hormone.
FT
     MOD RES
                  27
                         27
                                  Valine amide.
SQ
     SEQUENCE
                27 AA; 3056 MW; 2D4015814ED05B78 CRC64;
  Query Match
                          97.7%;
                                  Score 127; DB 1; Length 27;
  Best Local Similarity
                          96.3%; Pred. No. 1.2e-11;
  Matches
           26; Conservative
                                 1; Mismatches
                                                   0; Indels
                                                                             0;
                                                                     Gaps
```

Qу

```
RESULT 3
SECR CAVPO
     SECR CAVPO
                    STANDARD;
                                   PRT;
                                            27 AA.
     P63297; P01279; Q9TR13;
AC
     21-JUL-1986 (Rel. 01, Created)
DT
     25-OCT-2004 (Rel. 45, Last sequence update)
DT
     25-OCT-2004 (Rel. 45, Last annotation update)
DE
     Secretin.
     Name=SCT;
GN
OS
     Cavia porcellus (Guinea pig).
     Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC
     Mammalia; Eutheria; Rodentia; Hystricognathi; Caviidae; Cavia.
OC
OX
     NCBI TaxID=10141;
RN
     [1]
RP
     SEQUENCE.
RC
     TISSUE=Small intestine;
RX
     MEDLINE=90254163; PubMed=2340294; DOI=10.1016/0167-4838(90)90248-E;
RA
     Buscail L., Cauvin A., Gourlet P., Gossen D., de Neef P., Rathe J.,
RA
     Robberecht P., Vandermeers-Piret M.-C., Vandermeers A., Christophe J.;
RT
     "Purification and amino acid sequence of vasoactive intestinal
RT
     peptide, peptide histidine isoleucinamide (1-27) and secretin from the
     small intestine of guinea pig.";
RT
     Biochim. Biophys. Acta 1038:355-359(1990).
RL
CC
     -!- FUNCTION: Stimulates formation of NaHCO(3)-rich pancreatic juice
CC
         and secretion of NaHCO(3)-rich bile and inhibits HCl production by
CC
         the stomach.
     -!- SUBCELLULAR LOCATION: Secreted.
CC
CC
     -!- SIMILARITY: Belongs to the glucagon family.
DR
     InterPro; IPR000532; Glucagon.
DR
     Pfam; PF00123; Hormone 2; 1.
     PROSITE; PS00260; GLUCAGON; 1.
DR
KW
     Amidation; Direct protein sequencing; Glucagon family; Hormone.
FT
     MOD RES
                  27 .
                         27
                                  Valine amide.
     SEOUENCE
                27 AA; 3056 MW; 2D4015814ED05B78 CRC64;
SO
  Query Match
                          97.7%;
                                  Score 127; DB 1; Length 27;
  Best Local Similarity
                          96.3%;
                                  Pred. No. 1.2e-11;
  Matches
            26; Conservative
                                 1:
                                     Mismatches
                                                   0; Indels 0; Gaps
                                                                              0:
Qу
            1 HSDGTFTSELSRLRESARLQRLLQGLV 27
              Db
            1 HSDGTFTSELSRLRDSARLQRLLQGLV 27
RESULT 4
SECR SHEEP
     SECR SHEEP
ID
                    STANDARD;
                                   PRT;
                                           27 AA.
AC
     P31299;
DT
     01-JUL-1993 (Rel. 26, Created)
DT
     01-JUL-1993 (Rel. 26, Last sequence update)
DT
     05-JUL-2004 (Rel. 44, Last annotation update)
DE
     Secretin.
GN
     Name=SCT;
```

```
Ovis aries (Sheep).
OS
OC
     Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC
    Mammalia; Eutheria; Cetartiodactyla; Ruminantia; Pecora; Bovidae;
     Caprinae; Ovis.
OC
OX
    NCBI TaxID=9940;
RN
     [1]
RP
    SEQUENCE.
RC
    TISSUE=Small intestine;
    MEDLINE=91239834; PubMed=2034821; DOI=10.1016/0167-0115(91)90044-H;
RX
    Bounjoua Y., Vandermeers A., Robberecht P., Vandermeers-Piret M.C.,
RA
RA
     "Purification and amino acid sequence of vasoactive intestinal
RT
     peptide, peptide histidine isoleucinamide and secretin from the ovine
RT
     small intestine.";
RT
     Regul. Pept. 32:169-179(1991).
RL
     -!- FUNCTION: Stimulates formation of NaHCO(3)-rich pancreatic juice
CC
         and secretion of NaHCO(3)-rich bile and inhibits HCl production by
CC
CC
         the stomach.
CC
    -!- SUBCELLULAR LOCATION: Secreted.
    -!- SIMILARITY: Belongs to the glucagon family.
CC
DR
    PIR; C60072; SESH.
DR
    InterPro; IPR000532; Glucagon.
DR
    Pfam; PF00123; Hormone 2; 1.
    PROSITE; PS00260; GLUCAGON; 1.
DR
    Amidation; Direct protein sequencing; Glucagon family; Hormone.
KW
                               Valine amide.
FT
    MOD RES
                  27
                        27
               27 AA; 3056 MW; 2D4015814ED05B78 CRC64;
     SEQUENCE
SO
  Query Match
                          97.7%; Score 127; DB 1; Length 27;
  Best Local Similarity 96.3%; Pred. No. 1.2e-11;
 Matches
           26; Conservative
                                1; Mismatches
                                                  0; Indels
                                                                             0;
                                                                0; Gaps
Qу
            1 HSDGTFTSELSRLRESARLQRLLQGLV 27
              1 HSDGTFTSELSRLRDSARLQRLLQGLV 27
Db
RESULT 5
SECR PIG
ID
     SECR PIG
                   STANDARD;
                                  PRT;
                                         131 AA.
     P63298; P01279; O9TR13;
DT
     21-JUL-1986 (Rel. 01, Created)
     01-APR-1990 (Rel. 14, Last sequence update)
DΤ
     25-OCT-2004 (Rel. 45, Last annotation update)
DT
DE
     Secretin precursor (Fragment).
    Name=SCT;
GN
OS
     Sus scrofa (Pig).
OC
     Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
    Mammalia; Eutheria; Cetartiodactyla; Suina; Suidae; Sus.
OC
OX
    NCBI TaxID=9823;
RN
     [1]
RP
     SEQUENCE FROM N.A.
    MEDLINE=90192795; PubMed=2315322;
RX
RA
     Kopin A.S., Wheeler M.B., Leiter A.B.;
RT
     "Secretin: structure of the precursor and tissue distribution of the
RT
RL
     Proc. Natl. Acad. Sci. U.S.A. 87:2299-2303(1990).
```

```
RN
     [2]
RP
     SEQUENCE OF 1-56.
RC
    TISSUE=Intestine;
RX
    MEDLINE=96109189; PubMed=8618828;
RA
    Bohetto V., Joernvall H., Mutt V., Sillard R.;
RT
     "Two alternative processing pathways for a preprohormone: a bioactive
     form of secretin.";
RT
     Proc. Natl. Acad. Sci. U.S.A. 92:11985-11989(1995).
RL
RN
    SEQUENCE OF 30-56.
RP
RX
    MEDLINE=70282334; PubMed=5465996;
ŔĀ
    Mutt V., Jorpes J.E., Magnusson S.;
     "Structure of porcine secretin. The amino acid sequence.";
RT
RL
     Eur. J. Biochem. 15:513-519(1970).
RN
    [4]
    SEQUENCE OF 30-59 AND 92-131.
RP
RX
    MEDLINE=90370867; PubMed=2395872;
RA
    Gafvelin G., Joernvall H., Mutt V.;
RT
     "Processing of prosecretin: isolation of a secretin precursor from
RT
    porcine intestine.";
RL
    Proc. Natl. Acad. Sci. U.S.A. 87:6781-6785(1990).
RN
RP
    SYNTHESIS OF 30-131.
RX
    MEDLINE=67244720; PubMed=5978238;
RA
    Bodanszky M., Ondetti M.A., Levine S.D., Narayanan V.L.,
    Von Saltza M., Sheehan J.T., Williams N.J., Sabo E.F.;
RA
RT
     "Synthesis of a heptacosapeptide amide with the hormonal activity of
RT
     secretin.";
RL
    Chem. Ind. 42:1757-1758(1966).
RN
     [6]
    STRUCTURE BY NMR OF SECRETIN.
RP
RX
    MEDLINE=88151942; PubMed=2831051;
RA
    Clore G.M., Nilges M., Bruenger A., Gronenborn A.M.;
RT
    "Determination of the backbone conformation of secretin by restrained
RT
    molecular dynamics on the basis of interproton distance data.";
RL
    Eur. J. Biochem. 171:479-484(1988).
RN
RP
    STRUCTURE BY NMR OF SECRETIN.
RX
    MEDLINE=87191017; PubMed=2883029; DOI=10.1016/0014-5793(87)80119-9;
RA
    Gronenborn A.M., Bovermann G., Clore G.M.;
RT
     "A 1H-NMR study of the solution conformation of secretin. Resonance
RT
     assignment and secondary structure.";
RL
    FEBS Lett. 215:88-94(1987).
CC
     -!- FUNCTION: Stimulates formation of NaHCO(3)-rich pancreatic juice
CC
        and secretion of NaHCO(3)-rich bile and inhibits HCl production by
CC
        the stomach.
CC
    -!- SUBCELLULAR LOCATION: Secreted.
CC
    -!- PHARMACEUTICAL: Available under the name Secretin-Ferring (Ferring
CC
        Pharmaceuticals).
CC
    -!- SIMILARITY: Belongs to the glucagon family.
     CC
CC
    This SWISS-PROT entry is copyright. It is produced through a collaboration
CC
    between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC
    the European Bioinformatics Institute. There are no restrictions on its
CC
    use by non-profit institutions as long as its content is in no way
CC
    modified and this statement is not removed. Usage by and for commercial
CC
     entities requires a license agreement (See http://www.isb-sib.ch/announce/
```

```
CC
     or send an email to license@isb-sib.ch).
CC
     ______
DR
     EMBL; M31496; AAA31121.1; -.
DR
     PIR; B35094; SEPG.
DR
     InterPro; IPR000532; Glucagon.
DR
     Pfam; PF00123; Hormone 2; 1.
     PROSITE; PS00260; GLUCAGON; 1.
DR
KW
     Amidation; Cleavage on pair of basic residues;
KW
     Direct protein sequencing; Glucagon family; Hormone; Pharmaceutical;
KW
     Signal.
FT
     NON TER
                  1
FT
     SIGNAL
                  <1
                         18
                                  By similarity.
FT
     PROPEP
                  19
                         28
FT
     PEPTIDE
                  30
                         56
                                  Secretin.
                  60
FT
     PROPEP
                        131
FT
     MOD RES
                  56
                         56
                                 Valine amide (G-57 provides amide group).
SO
     SEQUENCE
                131 AA; 14277 MW; 1A24BDDA600E4E34 CRC64;
  Query Match
                          97.7%; Score 127; DB 1; Length 131;
  Best Local Similarity 96.3%; Pred. No. 7.2e-11;
  Matches
          26; Conservative
                                1; Mismatches
                                                  0; Indels 0; Gaps.
            1 HSDGTFTSELSRLRESARLQRLLQGLV 27
Qу
              11111111111111111111111111111
Db
           30 HSDGTFTSELSRLRDSARLQRLLQGLV 56
RESULT 6
SECR HUMAN
ID
     SECR HUMAN
                    STANDARD;
                                   PRT:
                                          121 AA.
     P09683;
AC
DΤ
     01-MAR-1989 (Rel. 10, Created)
     16-OCT-2001 (Rel. 40, Last sequence update)
     25-OCT-2004 (Rel. 45, Last annotation update)
DT
DE
     Secretin precursor.
GN
     Name=SCT;
     Homo sapiens (Human).
OS
OC
     Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC
     Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
OX
     NCBI TaxID=9606;
RN
     [1]
RP
     SEQUENCE FROM N.A.
RX
     MEDLINE=20515579; PubMed=11060443;
RA
     Whitmore T.E., Holloway J.L., Lofton-Day C.E., Maurer M.F., Chen L.,
RA
     Quinton T.J., Vincent J.B., Scherer S.W., Lok S.;
     "Human secretin (SCT): gene structure, chromosome location, and
RT
RT
     distribution of mRNA.";
RL
     Cytogenet. Cell Genet. 90:47-52(2000).
RN
     [2]
RP
     SEQUENCE OF 28-54.
RA
     Carlquist M., Joernvall H., Forssmann W.-G., Thulin L., Johansson C.,
RA
RT
     "Human secretin is not identical to the porcine/bovine hormone.";
RL
     IRCS Med. Sci. 13:217-218(1985).
CC
     -!- FUNCTION: Stimulates formation of NaHCO(3)-rich pancreatic juice
CC
         and secretion of NaHCO(3)-rich bile and inhibits HCl production by
CC
         the stomach.
```

```
CC
    -!- SUBCELLULAR LOCATION: Secreted.
    -!- SIMILARITY: Belongs to the glucagon family.
CC
    _______
CC
    This SWISS-PROT entry is copyright. It is produced through a collaboration
CC
CC
    between the Swiss Institute of Bioinformatics and the EMBL outstation -
    the European Bioinformatics Institute. There are no restrictions on its
CC
    use by non-profit institutions as long as its content is in no way
CC
    modified and this statement is not removed. Usage by and for commercial
CC
    entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC
    or send an email to license@isb-sib.ch).
CC
CC
    EMBL; AF244355; AAG31443.1; -.
DR
DR
    Genew; HGNC:10607; SCT.
    MIM; 182099; -.
DR
DR
    GO; GO:0005179; F:hormone activity; NAS.
DR
    GO; GO:0030157; P:pancreatic juice secretion; NAS.
DR
    InterPro; IPR000532; Glucagon.
DR
    Pfam; PF00123; Hormone 2; 1.
DR
    PROSITE; PS00260; GLUCAGON; 1.
KW
    Amidation; Cleavage on pair of basic residues;
KW
    Direct protein sequencing; Glucagon family; Hormone; Signal.
FT
    SIGNAL
                 1
                       18
                                Potential.
FT
    PROPEP
                 19
                       26
FT
    PEPTIDE
                28
                       54
                                Secretin.
FT
    PROPEP
                 58
                      121
FT
    MOD RES
                 54
                       54
                               Valine amide (G-55 provides amide group).
               121 AA; 13016 MW; 44BDB4EFC0E161CF CRC64;
SQ
    SEQUENCE
 Query Match
                        96.9%; Score 126; DB 1; Length 121;
 Best Local Similarity 96.3%; Pred. No. 9.3e-11;
 Matches
          26; Conservative
                               0; Mismatches
                                              1; Indels 0; Gaps
                                                                         0;
Qу
           1 HSDGTFTSELSRLRESARLQRLLQGLV 27
             Db
          28 HSDGTFTSELSRLREGARLQRLLQGLV 54
RESULT 7
SECR RAT
    SECR RAT
                   STANDARD;
                                 PRT;
                                        134 AA.
AC
    P11384;
DΤ
    01-JUL-1989 (Rel. 11, Created)
    01-APR-1990 (Rel. 14, Last sequence update)
DT
DT
    25-OCT-2004 (Rel. 45, Last annotation update)
DE
    Secretin precursor.
GN
    Name=Sct;
OS
    Rattus norvegicus (Rat).
OC
    Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC
    Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Rattus.
OX
    NCBI TaxID=10116;
RN
    [1]
RP
    SEQUENCE FROM N.A.
    MEDLINE=90192795; PubMed=2315322;
RX
RA
    Kopin A.S., Wheeler M.B., Leiter A.B.;
    "Secretin: structure of the precursor and tissue distribution of the
RT
RT
    Proc. Natl. Acad. Sci. U.S.A. 87:2299-2303(1990).
RL
```

```
RN
     [2]
RP
     SEQUENCE FROM N.A.
     MEDLINE=91271384; PubMed=1711228;
RX
     Kopin A.S., Wheeler M.B., Nishitani J., McBride E.W., Chang T.M.,
RA
     Chey W.Y., Leiter A.B.;
RA
     "The secretin gene: evolutionary history, alternative splicing, and
RT
     developmental regulation.";
RT
     Proc. Natl. Acad. Sci. U.S.A. 88:5335-5339(1991).
RL
RN
RP
     SEQUENCE FROM N.A.
RC
     TISSUE=Brain;
     MEDLINE=91286291; PubMed=2061329;
RX
RA
     Itoh N., Furuya T., Ozaki K., Kawasaki T.;
RT
     "The secretin precursor gene. Structure of the coding region and
RT
     expression in the brain.";
     J. Biol. Chem. 266:12595-12598(1991).
RL
RN
     [4]
RP
     SEQUENCE OF 33-59.
RX
     MEDLINE=89246545; PubMed=2719704;
RA
     Gossen D., Vandermeers A., Vandermeers-Piret M.-C., Rathe J.,
RA
     Cauvin A., Robberecht P., Christophe J.;
RT
     "Isolation and primary structure of rat secretin.";
RL
     Biochem. Biophys. Res. Commun. 160:862-867(1989).
CC
     -!- FUNCTION: Stimulates formation of NaHCO(3)-rich pancreatic juice
CC
        and secretion of NaHCO(3)-rich bile and inhibits HCl production by
CC
        the stomach.
CC
     -!- SUBCELLULAR LOCATION: Secreted.
CC
     -!- SIMILARITY: Belongs to the glucagon family.
CC
     ______
CC
     This SWISS-PROT entry is copyright. It is produced through a collaboration
CC
     between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC
     the European Bioinformatics Institute. There are no restrictions on its
CC
     use by non-profit institutions as long as its content is in no way
CC
     modified and this statement is not removed. Usage by and for commercial
CC
     entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC
     or send an email to license@isb-sib.ch).
CC
DR
     EMBL; M31495; AAA42126.1; -.
DR
     EMBL; M64033; AAA42128.1; -.
DR
     EMBL; M63984; AAA42127.1; -.
DR
     PIR; A40886; A40959.
DR
     RGD; 3643; Sct.
DR
   InterPro; IPR000532; Glucagon.
DR
     Pfam; PF00123; Hormone 2; 1.
DR
     PROSITE; PS00260; GLUCAGON; 1.
KW
     Amidation; Cleavage on pair of basic residues;
KW
     Direct protein sequencing; Glucagon family; Hormone; Signal.
     SIGNAL
                  1
                        21
                                 Potential.
FT
                 22
                        31
FT
     PROPEP
                 33
                        59
FT
     PEPTIDE
                                 Secretin.
     PROPEP
                 63
                       134
FT
FT
     MOD RES
                 59
                        59
                                Valine amide (G-60 provides amide group).
               134 AA; 15072 MW; D9FA1A4C1F7C86E6 CRC64;
SQ
     SEQUENCE
  Query Match
                         94.6%; Score 123; DB 1; Length 134;
  Best Local Similarity 92.6%; Pred. No. 2.9e-10;
  Matches 25; Conservative 2; Mismatches
                                                0; Indels
```

```
1 HSDGTFTSELSRLRESARLORLLQGLV 27
Qу
             33 HSDGTFTSELSRLQDSARLQRLLQGLV 59
Db
RESULT 8
SECR MOUSE
     SECR MOUSE
                                 PRT;
                   STANDARD;
                                       133 AA.
AC
     008535;
DT
     01-OCT-1994 (Rel. 30, Created)
     01-OCT-1994 (Rel. 30, Last sequence update)
DT
     25-OCT-2004 (Rel. 45, Last annotation update)
DT
DE
     Secretin precursor.
GN
     Name=Sct;
OS
     Mus musculus (Mouse).
OC
     Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC
     Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX
     NCBI TaxID=10090;
RN
     [1]
RP
     SEQUENCE FROM N.A.
RX
     MEDLINE=94234995; PubMed=8179583;
     Lan M.S., Kajiyama W., Donadel G., Lu J., Notkins A.L.;
RA
RT
     "cDNA sequence and genomic organization of mouse secretin.";
RL
     Biochem. Biophys. Res. Commun. 200:1066-1071(1994).
CC
     -!- FUNCTION: Stimulates formation of NaHCO(3)-rich pancreatic juice
CC
         and secretion of NaHCO(3)-rich bile and inhibits HCl production by
CC
         the stomach.
CC
     -!- SUBCELLULAR LOCATION: Secreted.
CC
     -!- SIMILARITY: Belongs to the glucagon family.
     _____
CC
CC
     This SWISS-PROT entry is copyright. It is produced through a collaboration
CC
     between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC
     the European Bioinformatics Institute. There are no restrictions on its
CC
     use by non-profit institutions as long as its content is in no way
     modified and this statement is not removed. Usage by and for commercial
CC
     entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC
CC
     or send an email to license@isb-sib.ch).
CC
     ______
DR
     EMBL; U07568; AAA18453.1; -.
DR
     EMBL; X73580; CAA51982.1; -.
DR
     PIR; JC2202; JC2202.
DR
     MGD; MGI:99466; Sct.
DR
     InterPro; IPR000532; Glucagon.
DR
     Pfam; PF00123; Hormone 2; 1.
DR
     PROSITE; PS00260; GLUCAGON; 1.
KW
     Amidation; Cleavage on pair of basic residues; Glucagon family;
KW
     Hormone; Signal.
FT
     SIGNAL
                        22
                                By similarity.
                  1
                 23
                        30
FT
     PROPEP
     PEPTIDE
                 32
                        58
                                Secretin (By similarity).
. FT
FT
     PROPEP
                 62
                       133
     MOD RES ·
                 58
                        58
                                Valine amide (G-59 provides amide group).
FT
               133 AA; 14914 MW; 9B69CBCF74CA9709 CRC64;
SO
     SEQUENCE
                        90.0%; Score 117; DB 1; Length 133;
  Query Match
  Best Local Similarity 88.9%; Pred. No. 2.3e-09;
```

```
Matches
            24; Conservative
                                 2; Mismatches
                                                   1; Indels
                                                                 0; Gaps
Qу
            1 HSDGTFTSELSRLRESARLQRLLQGLV 27
              Db
           32 HSDGMFTSELSRLQDSARLQRLLQGLV 58
RESULT 9
Q80ZS9
ID
     Q80ZS9
                 PRELIMINARY;
                                   PRT;
                                          139 AA.
AC
     Q80ZS9;
DT
     01-JUN-2003 (TrEMBLrel. 24, Created)
     01-JUN-2003 (TrEMBLrel. 24, Last sequence update)
DT
DT
     01-MAR-2004 (TrEMBLrel. 26, Last annotation update)
DΕ
     Similar to secretin.
OS
    Mus musculus (Mouse).
OC
     Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC
    Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX
    NCBI TaxID=10090;
RN
     [1]
RP
     SEQUENCE FROM N.A.
RC
     TISSUE=Testis;
RX
    MEDLINE=22388257; PubMed=12477932; DOI=10.1073/pnas.242603899;
RÁ
     Strausberg R.L., Feingold E.A., Grouse L.H., Derge J.G.,
RA
     Klausner R.D., Collins F.S., Wagner L., Shenmen C.M., Schuler G.D.,
RA
     Altschul S.F., Zeeberg B., Buetow K.H., Schaefer C.F., Bhat N.K.,
     Hopkins R.F., Jordan H., Moore T., Max S.I., Wang J., Hsieh F.,
RA
RA
     Diatchenko L., Marusina K., Farmer A.A., Rubin G.M., Hong L.,
RA
     Stapleton M., Soares M.B., Bonaldo M.F., Casavant T.L., Scheetz T.E.,
     Brownstein M.J., Usdin T.B., Toshiyuki S., Carninci P., Prange C.,
RA
     Raha S.S., Loquellano N.A., Peters G.J., Abramson R.D., Mullahy S.J.,
RA"
RA
     Bosak S.A., McEwan P.J., McKernan K.J., Malek J.A., Gunaratne P.H.,
RA
     Richards S., Worley K.C., Hale S., Garcia A.M., Gay L.J., Hulyk S.W.,
RA
     Villalon D.K., Muzny D.M., Sodergren E.J., Lu X., Gibbs R.A.,
     Fahey J., Helton E., Ketteman M., Madan A., Rodrigues S., Sanchez A.,
RA
     Whiting M., Madan A., Young A.C., Shevchenko Y., Bouffard G.G.,
RA
RA
     Blakesley R.W., Touchman J.W., Green E.D., Dickson M.C.,
RA
     Rodriguez A.C., Grimwood J., Schmutz J., Myers R.M., Butterfield Y.S.,
RA
     Krzywinski M.I., Skalska U., Smailus D.E., Schnerch A., Schein J.E.,
RA
     Jones S.J., Marra M.A.;
RT
     "Generation and initial analysis of more than 15,000 full-length human
RT
     and mouse cDNA sequences.";
RL
     Proc. Natl. Acad. Sci. U.S.A. 99:16899-16903(2002).
RN
     [2]
RP
     SEQUENCE FROM N.A.
RC
     TISSUE=Testis;
RA
     Strausberg R.;
RL
     Submitted (MAR-2003) to the EMBL/GenBank/DDBJ databases.
DR
     EMBL; BC048484; AAH48484.1; -.
     GO; GO:0005576; C:extracellular; IEA.
DR
     GO; GO:0005179; F:hormone activity; IEA.
DR
DR
     InterPro; IPR000532; Glucagon.
     Pfam; PF00123; Hormone 2; 1.
DR
DR
     SMART; SM00070; GLUCA; 1.
     PROSITE; PS00260; GLUCAGON; 1.
DR
                139 AA; 15569 MW; B22F7C8642137E15 CRC64;
SQ
     SEQUENCE
```

0;

```
Query Match
                         90.0%; Score 117; DB 2; Length 139;
                         88.9%; Pred. No. 2.4e-09;
  Best Local Similarity
          24; Conservative
                                2; Mismatches
 Matches
                                                1; Indels
                                                               0; Gaps
                                                                           0;
           1 HSDGTFTSELSRLRESARLQRLLQGLV 27
Qу
             Db
           32 HSDGMFTSELSRLQDSARLQRLLQGLV 58
RESULT 10
SECR RABIT
ID
     SECR RABIT
                   STANDARD;
                                  PRT;
                                          27 AA.
AC
     P32647;
DΤ
     01-OCT-1993 (Rel. 27, Created)
     01-OCT-1993 (Rel. 27, Last sequence update)
DT
DT
     05-JUL-2004 (Rel. 44, Last annotation update)
DE Secretin.
GN
    Name=SCT:
OS
    Oryctolagus cuniculus (Rabbit).
OC
    Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC
    Mammalia; Eutheria; Lagomorpha; Leporidae; Oryctolagus.
OX
    NCBI TaxID=9986;
RN
    [1]
RP
    SEQUENCE.
RC
    TISSUE=Small intestine;
RX
    MEDLINE=90259845; PubMed=2342988; DOI=10.1016/0196-9781(90)90120-T;
    Gossen D., Buscail L., Cauvin A., Gourlet P., de Neef P., Rathe J.,
RA
RA
     Robberecht P., Vandermeers-Piret M.C., Vandermeers A., Christophe J.;
RT
     "Amino acid sequence of VIP, PHI and secretin from the rabbit small
RT
    intestine.";
RL
    Peptides 11:123-128(1990).
CC
    -!- FUNCTION: Stimulates formation of NaHCO(3)-rich pancreatic juice
CC
        and secretion of NaHCO(3)-rich bile and inhibits HCl production by
CC
        the stomach.
CC
    -!- SUBCELLULAR LOCATION: Secreted.
CC
    -!- SIMILARITY: Belongs to the glucagon family.
    PIR; C60415; C60415.
DR
DR
    InterPro; IPR000532; Glucagon.
DR
    Pfam; PF00123; Hormone 2; 1.
DR
    PROSITE; PS00260; GLUCAGON; 1.
KW
    Amidation; Direct protein sequencing; Glucagon family; Hormone.
FT
    MOD RES
                 27
                        27
                                 Leucine amide.
SQ
     SEQUENCE
               27 AA; 3105 MW; 38A015800BDD3618 CRC64;
 Query Match
                         86.9%; Score 113; DB 1; Length 27;
  Best Local Similarity
                         85.2%; Pred. No. 1.5e-09;
 Matches
           23; Conservative
                                2; Mismatches
                                                2; Indels
                                                               0; Gaps
                                                                           0;
           1 HSDGTFTSELSRLRESARLQRLLQGLV 27
Qу
             Db
           1 HSDGTLTSELSRLRDRARLQRLLQGLL 27
RESULT 11
SECR CHICK
     SECR CHICK
                   STANDARD:
                                  PRT;
                                          27 AA.
ID
     P01280;
АC
```

```
DT
     21-JUL-1986 (Rel. 01, Created)
     21-JUL-1986 (Rel. 01, Last sequence update)
DT
DT
     25-OCT-2004 (Rel. 45, Last annotation update)
DE
     Secretin.
GN
    Name=SCT;
OS
    Gallus gallus (Chicken).
     Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC
    Archosauria; Aves; Neognathae; Galliformes; Phasianidae; Phasianinae;
OC
    Gallus.
OX
    NCBI TaxID=9031;
RN
     [1]
RP
     SEQUENCE.
RX
    MEDLINE=81114197; PubMed=7460928;
ŔA
    Nilsson A., Carlquist M., Joernvall H., Mutt V.;
RT
    "Isolation and characterization of chicken secretin.";
RL
     Eur. J. Biochem. 112:383-388(1980).
CC
    -!- FUNCTION: Stimulates formation of NaHCO(3)-rich pancreatic juice
CC
         and secretion of NaHCO(3)-rich bile and inhibits HCl production by
CC
         the stomach.
CC
   -!- SUBCELLULAR LOCATION: Secreted.
CC
    -!- SIMILARITY: Belongs to the glucagon family.
DR
    PIR; A01545; SECH.
DR
    HSSP; P01275; 1BH0.
DR
    InterPro; IPR000532; Glucagon.
DR
     Pfam; PF00123; Hormone 2; 1.
DR
     PRINTS; PR00275; GLUCAGON.
     PROSITE; PS00260; GLUCAGON; 1.
DR
KW
    Amidation; Direct protein sequencing; Glucagon family; Hormone.
FT
    MOD RES
                  27
                        27
                                 Methionine amide.
SO
    SEQUENCE
               27 AA; 3131 MW; DA0AD71B6361BE7E CRC64;
  Query Match
                          60.8%;
                                 Score 79; DB 1; Length 27;
  Best Local Similarity
                          51.9%; Pred. No. 0.00018;
 Matches
           14; Conservative
                                 8; Mismatches
                                                   5; Indels
                                                                 0; Gaps
                                                                             0;
           1 HSDGTFTSELSRLRESARLORLLOGLV 27
Qу
              Db
           1 HSDGLFTSEYSKMRGNAQVQKFIQNLM 27
RESULT 12
GLUC CAVPO
ID
     GLUC CAVPO
                    STANDARD;
                                   PRT;
                                          180 AA.
AC
     P05110;
DT
     13-AUG-1987 (Rel. 05, Created)
     13-AUG-1987 (Rel. 05, Last sequence update).
DT
     05-JUL-2004 (Rel. 44, Last annotation update)
     Glucagon precursor [Contains: Glicentin; Glicentin-related polypeptide
DΕ
     (GRPP); Oxyntomodulin (OXY) (OXM); Glucagon; Glucagon-like peptide 1
DE
     (GLP-1); Glucagon-like peptide 1(7-37) (GLP-1(7-37)); Glucagon-like
DΕ
     peptide 1(7-36) (GLP-1(7-36)); Glucagon-like peptide 2 (GLP-2)].
GN
    Name=GCG;
     Cavia porcellus (Guinea pig).
OS
OC
     Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC
    Mammalia; Eutheria; Rodentia; Hystricognathi; Caviidae; Cavia.
OX
     NCBI TaxID=10141;
RN
     [1]
```

```
SEQUENCE FROM N.A.
RP
     MEDLINE=86248118; PubMed=3755107; DOI=10.1016/0014-5793(86)81429-6;
RX
     Seino S., Welsh M., Bell G.I., Chan S.J., Steiner D.F.;
RA
RT
     "Mutations in the guinea pig preproglucagon gene are restricted to a
     specific portion of the prohormone sequence.";
RT
     FEBS Lett. 203:25-30(1986).
RL
RN
     [2]
RP
     SEQUENCE OF 53-81.
     MEDLINE=86165412; PubMed=3956884;
RX
RA
     Huang C.G., Eng J., Pan Y.-C.E., Hulmes J.D., Yalow R.S.;
     "Guinea pig glucagon differs from other mammalian glucagons.";
RT
     Diabetes 35:508-512(1986).
RL
RN
RP
     PARTIAL SEQUENCE OF 53-89.
RX
     MEDLINE=86017849; PubMed=4048553; DOI=10.1016/0167-0115(85)90203-4;
     Conlon J.M., Hansen H.F., Schwartz T.W.;
RA
RΤ
     "Primary structure of glucagon and a partial sequence of oxyntomodulin
RT
     (glucagon-37) from the guinea pig.";
RL
     Regul. Pept. 11:309-320(1985).
RN
     [4]
RP
     REVIEW.
RX
     PubMed=12554744; DOI=10.1210/me.2002-0306;
RA
     Drucker D.J.;
RT
     "Glucagon-like peptides: regulators of cell proliferation,
RT
     differentiation, and apoptosis.";
     Mol. Endocrinol. 17:161-171(2003).
RL
RN
     [5]
RP
     REVIEW.
RX
     PubMed=12626323; DOI=10.1152/ajpendo.00492.2002;
RA
     Jiang G., Zhang B.B.;
     "Glucagon and regulation of glucose metabolism.";
RT
RL
     Am. J. Physiol. 284:E671-E678(2003).
RN
     [6]
RP
     REVIEW.
     PubMed=10322410;
RX
     Drucker D.J.;
RA
RT
     "Glucagon-like peptide 2.";
RL
     Trends Endocrinol. Metab. 10:153-156(1999).
RN
RP
     REVIEW.
RX
     PubMed=10605628; DOI=10.1210/er.20.6.876;
RA
     Kieffer T.J., Habener J.F.;
RT
     "The glucagon-like peptides.";
RL
     Endocr. Rev. 20:876-913(1999).
CC
     -!- FUNCTION: Glucagon plays a key role in glucose metabolism and
CC
         homeostasis. Regulates blood glucose by increasing gluconeogenesis
CC
         and decreasing glycolysis. A counterregulatory hormone of insulin,
CC
         raises plasma glucose levels in response to insulin-induced
CC
         hypoglycemia (By similarity).
CC
     -!- FUNCTION: GLP-1 is a potent stimulator of glucose-dependent
CC
         insulin release. Play important roles on gastric motility and the
CC
         suppression of plasma glucagon levels. May be involved in the
CC
         suppression of satiety and stimulation of glucose disposal in
CC
         peripheral tissues, independent of the actions of insulin. Have
CC
         growth-promoting activities on intestinal epithelium. May also
CC
         regulate the hypothalamic pituitary axis (HPA) via effects on LH,
         TSH, CRH, oxytocin, and vasopressin secretion. Increases islet
CC
```

- CC mass through stimulation of islet neogenesis and pancreatic beta cell proliferaton (By similarity).
 - -!- FUNCTION: GLP-2 stimulates intestinal growth and up-regulates villus height in the small intestine, concomitant with increased crypt cell proliferation and decreased enterocyte apoptosis. The gastrointestinal tract, from the stomach to the colon is the principal target for GLP-2 action. Plays a key role in nutrient homeostasis, enhancing nutrient assimilation through enhanced gastrointestinal function, as well as increasing nutrient disposal. Stimulates intestinal glucose transport and decreases mucosal permeability (By similarity).
- CC -!- FUNCTION: Oxyntomodulin significantly reduces food intake (By
 CC similarity).
 - -!- FUNCTION: Glicentin may modulate gastric acid secretion and gastro-pyloro-duodenal activity (By similarity).
 - -!- SUBCELLULAR LOCATION: Secreted.
 - -!- INDUCTION: Glucagon release is stimulated by hypoglycemia and inhibited by hyperglycemia, insulin, and somatostatin. GLP-1 and GLP-2 are induced in response to nutrient ingestion (By similarity).
 - -!- PTM: Proglucagon is posttranslationally processed in a tissuespecific manner in pancreatic A cells and intestinal L cells. In
 pancreatic A cells, the major bioactive hormone is glucagon
 cleaved by PCSK2/PC2. In the intestinal L cells PCSK1/PC1
 liberates GLP-1, GLP-2, glicentin and oxyntomodulin. GLP-1 is
 further N-terminally truncated by posttranslational processing in
 the intestinal L cells resulting in GLP-1(7-37) GLP-1-(7-36) amide.
 The C-terminal amidation is neither important for the metabolism
 of GLP-1 nor for its effects on the endocrine pancreas (By
 similarity).
 - -!- SIMILARITY: Belongs to the glucagon family.

This SWISS-PROT entry is copyright. It is produced through a collaboration between the Swiss Institute of Bioinformatics and the EMBL outstation - the European Bioinformatics Institute. There are no restrictions on its use by non-profit institutions as long as its content is in no way modified and this statement is not removed. Usage by and for commercial entities requires a license agreement (See http://www.isb-sib.ch/announce/or send an email to license@isb-sib.ch).

```
-----
```

```
DR EMBL; D00014; BAA00010.1; -. DR PIR; A24856; GCGP.
```

DR 110, 121000, 0001.

CC

- DR HSSP; P01275; 1D0R.
- DR InterPro; IPR000532; Glucagon.
- DR Pfam; PF00123; Hormone 2; 3.
- DR PRINTS; PR00275; GLUCAGON.
- DR PROSITE; PS00260; GLUCAGON; 4.
- KW Amidation; Cleavage on pair of basic residues;
- KW Direct protein sequencing; Glucagon family; Hormone; Signal.

| FT | SIGNAL | 1 | 20 | | | | |
|----|---------|----|-----|--|--|--|--|
| FT | PEPTIDE | 21 | 89 | Glicentin (By similarity). | | | |
| FT | PEPTIDE | 21 | 50 | Glicentin-related polypeptide (By | | | |
| FT | | | | similarity). | | | |
| FT | PEPTIDE | 53 | 89 | Oxyntomodulin. | | | |
| FT | PEPTIDE | 53 | 81 | Glucagon. | | | |
| FT | PROPEP | 84 | 89 | By similarity. | | | |
| FT | PEPTIDE | 92 | 128 | Glucagon-like peptide 1 (By similarity). | | | |

```
98
                             128
                                        Glucagon-like peptide 1(7-37) (By
     FT
                                        similarity).
     FT
          PEPTIDE
                       98
                             127
                                       Glucagon-like peptide 1(7-36) (By
    FT
                                       similarity).
    FT
         PROPEP
                      131
                             145
                                       By similarity.
    FT
         PEPTIDE
                      146
                             178
                                       Glucagon-like peptide 2 (By similarity).
    FT
         SITE
                       52
                              53
                                       Cleavage (by PCSK2) (By similarity).
    FT
         SITE
                       83
                              84
                                       Cleavage (by PCSK1 and PCSK2) (By
    FT
                                       similarity).
    FT
         SITE
                      91
                              92 .
                                       Cleavage (by PCSK1) (By similarity).
    FT
         SITE
                      97
                             98
                                       Cleavage (by PCSK1) (By similarity).
    FT
         SITE
                     130
                            131
                                       Cleavage (by PCSK1) (By similarity).
    FT
         SITE
                     145
                            146
                                      Cleavage (by PCSK1) (By similarity).
    FT
        MOD RES
                     127
                            127 .
                                      Arginine amide (G-128 provides amide
   FT ·
                                      group) (By similarity).
   SQ
        SEQUENCE
                    180 AA;
                             20972 MW;
                                        702FB181161D2776 CRC64;
     Query Match
                              50.0%;
                                      Score 65; DB 1; Length 180;
     Best Local Similarity
                              48.1%;
                                      Pred. No. 0.18;
     Matches
               13; Conservative
                                     6; Mismatches
                                                       8;
                                                           Indels
                                                                      0;
                                                                          Gaps
   Qу
               1 HSDGTFTSELSRLRESARLQRLLQGLV 27
                 11 11111: 1: :1 1 1: 1: 1:
  Db
              53 HSQGTFTSDYSKYLDSRRAQQFLKWLL 79
  RESULT 13
  Q6DIZ4
  ID
       Q6DIZ4
                   PRELIMINARY;
                                      PRT;
  AC
                                             266 AA.
       Q6DIZ4;
       25-OCT-2004 (TrEMBLrel. 28, Created)
  DT
       25-OCT-2004 (TrEMBLrel. 28, Last sequence update)
  DT
       25-OCT-2004 (TrEMBLrel. 28, Last annotation update)
  DT
  DE
 GN
      Name=gcg-prov;
      Xenopus tropicalis (Western clawed frog) (Silurana tropicalis).
 os
 OC
      Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC
      Amphibia; Batrachia; Anura; Mesobatrachia; Pipoidea; Pipidae;
 OC
      Xenopodinae; Xenopus.
 OX
      NCBI_TaxID=8364;
 RN
      [1]
 RP
      SEQUENCE FROM N.A.
 RC
      TISSUE=Whole body;
 RX
     MEDLINE=22388257; PubMed=12477932; DOI=10.1073/pnas.242603899;
 RA
      Strausberg R.L., Feingold E.A., Grouse L.H., Derge J.G.,
     Klausner R.D., Collins F.S., Wagner L., Shenmen C.M., Schuler G.D.,
RA
     Altschul S.F., Zeeberg B., Buetow K.H., Schaefer C.F., Bhat N.K.,
RA
     Hopkins R.F., Jordan H., Moore T., Max S.I., Wang J., Hsieh F.,
RA
RA
     Diatchenko L., Marusina K., Farmer A.A., Rubin G.M., Hong L.,
     Stapleton M., Soares M.B., Bonaldo M.F., Casavant T.L., Scheetz T.E.,
RA
     Brownstein M.J., Usdin T.B., Toshiyuki S., Carninci P., Prange C.,
RA
     Raha S.S., Loquellano N.A., Peters G.J., Abramson R.D., Mullahy S.J.,
RA
     Bosak S.A., McEwan P.J., McKernan K.J., Malek J.A., Gunaratne P.H.,
RA
     Richards S., Worley K.C., Hale S., Garcia A.M., Gay L.J., Hulyk S.W.,
RA
RA
     Villalon D.K., Muzny D.M., Sodergren E.J., Lu X., Gibbs R.A.,
     Fahey J., Helton E., Ketteman M., Madan A., Rodrigues S., Sanchez A.,
RA
    Whiting M., Madan A., Young A.C., Shevchenko Y., Bouffard G.G.,
RA
```

0;

FT

PEPTIDE

```
RA
     Blakesley R.W., Touchman J.W., Green E.D., Dickson M.C.,
     Rodriguez A.C., Grimwood J., Schmutz J., Myers R.M., Butterfield Y.S.,
RA
     Krzywinski M.I., Skalska U., Smailus D.E., Schnerch A., Schein J.E.,
RA
RA
     Jones S.J., Marra M.A.;
RT
     "Generation and initial analysis of more than 15,000 full-length human
RT
     and mouse cDNA sequences.";
RL
     Proc. Natl. Acad. Sci. U.S.A. 99:16899-16903(2002).
RN
     [2]
RP
     SEQUENCE FROM N.A.
RC
     TISSUE=Whole body;
     Klein S., Gerhard D.S.;
RA
     Submitted (JUN-2004) to the EMBL/GenBank/DDBJ databases.
RL
DR
     EMBL; BC075391; AAH75391.1; -.
     GO; GO:0005576; C:extracellular; IEA.
DR
DR
     GO; GO:0005179; F:hormone activity; IEA.
DR
     InterPro; IPR000532; Glucagon.
DR
     Pfam; PF00123; Hormone 2; 5.
DR
     PRINTS; PR00275; GLUCAGON.
DR
     SMART; SM00070; GLUCA; 5.
DR
     PROSITE; PS00260; GLUCAGON; 5.
SQ
     SEQUENCE
                266 AA;
                         30809 MW; 47BAE7DD28EFF7EA CRC64;
  Query Match
                           49.2%;
                                   Score 64; DB 2;
                                                     Length 266;
  Best Local Similarity
                           48.1%;
                                  Pred. No. 0.39;
            13; Conservative
                                  5; Mismatches
                                                    9;
                                                       Indels
                                                                   0;
                                                                       Gaps
                                                                               0;
Qу
            1 HSDGTFTSELSRLRESARLQRLLQGLV 27
              11 11111: 1: :1 | 1 :1 |:
Db
           53 HSQGTFTSDYSKYLDSRRAQDFIQWLM 79
RESULT 14
GLUC CAMDR
     GLUC CAMDR '
                    STANDARD;
ID
                                    PRT;
                                            29 AA.
     P68273; P25449;
AC
     01-MAY-1992 (Rel. 22, Created)
DT
DT
     01-MAY-1992 (Rel. 22, Last sequence update)
DT
     25-OCT-2004 (Rel. 45, Last annotation update)
DE
     Glucagon.
GN
     Name=GCG;
OS
     Camelus dromedarius (Dromedary) (Arabian camel).
OC
     Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC
     Mammalia; Eutheria; Cetartiodactyla; Tylopoda; Camelidae; Camelus.
OX
     NCBI TaxID=9838;
RN
     [1]
RP
     SEQUENCE.
RX
     MEDLINE=75027473; PubMed=4421675;
RA
     Sundby F., Markussen J., Danho W.;
RT
     "Camel glucagon: isolation, crystallization and amino acid
RT
     composition.";
RL
     Horm. Metab. Res. 6:425-425(1974).
CC
     -!- FUNCTION: Glucagon plays a key role in glucose metabolism and
CC
         homeostasis. Regulates blood glucose by increasing gluconeogenesis
CC
         and decreasing glycolysis (By similarity).
CC
     -!- SUBCELLULAR LOCATION: Secreted (By similarity).
     -!- INDUCTION: Produced in the A cells of the islets of Langerhans in
CC
CC
         response to a drop in blood sugar concentration (By similarity).
```

```
-!- SIMILARITY: Belongs to the glucagon family.
CC
DR
     PIR; A91742; A91742.
DR
    HSSP; P01274; 1GCN.
DR
    InterPro; IPR000532; Glucagon.
DR
     Pfam; PF00123; Hormone 2; 1.
     PRINTS; PR00275; GLUCAGON.
DR
     PROSITE; PS00260; GLUCAGON; 1.
DR
KW
     Direct protein sequencing; Glucagon family; Hormone.
               29 AA; 3483 MW; 04C584D35C752B27 CRC64;
SQ
     SEQUENCE
 Query Match
                          48.5%;
                                 Score 63; DB 1;
                                                    Length 29;
  Best Local Similarity
                          48.1%; Pred. No. 0.047;
 Matches
           13; Conservative
                                 5; Mismatches
                                                   9; Indels
                                                                     Gaps
            1 HSDGTFTSELSRLRESARLQRLLQGLV 27
Qy
              Db
            1 HSQGTFTSDYSKYLDSRRAQDFVQWLM 27
RESULT 15
GLUC DIDMA
     GLUC DIDMA
                    STANDARD;
                                   PRT:
                                           29 AA.
ID
AC
     P18108;
DT
     01-NOV-1990 (Rel. 16, Created)
DT
     01-NOV-1990 (Rel. 16, Last sequence update)
     05-JUL-2004 (Rel. 44, Last annotation update)
DT
DE
     Glucagon.
GN
    Name=GCG:
OS
     Didelphis marsupialis virginiana (North American opossum).
OC
     Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
    Mammalia; Metatheria; Didelphimorphia; Didelphidae; Didelphis.
ОC
    NCBI TaxID=9267;
OX.
RN
     [1]
RP
     SEQUENCE.
RC
     TISSUE=Pancreas;
     MEDLINE=90160042; PubMed=2695899; DOI=10.1016/0196-9781(89)90012-0;
     Yu J.-H., Eng J., Rattan S., Yalow R.S.;
RA
     "Opossum insulin, glucagon and pancreatic polypeptide: amino acid
RT
RT
     sequences.";
RL
     Peptides 10:1195-1197(1989).
CC
     -!- FUNCTION: Glucagon plays a key role in glucose metabolism and
CC
         homeostasis. Regulates blood glucose by increasing gluconeogenesis
CC
         and decreasing glycolysis.
     -!- SUBCELLULAR LOCATION: Secreted.
CC
     -!- INDUCTION: Produced in the A cells of the islets of Langerhans in
CC
         response to a drop in blood sugar concentration.
CC
CC
     -!- SIMILARITY: Belongs to the glucagon family.
DR
     PIR; JQ0364; GCOPV.
DR
     HSSP; P01274; 1GCN.
DR
     InterPro; IPR000532; Glucagon.
     Pfam; PF00123; Hormone 2; 1.
DR
     PRINTS; PR00275; GLUCAGON.
     PROSITE; PS00260; GLUCAGON; 1.
DR
KW
     Direct protein sequencing; Glucagon family; Hormone.
                29 AA; 3456 MW; 04D474D35C752B27 CRC64;
SO
     SEQUENCE
```

0;

Best Local Similarity 48.1%; Pred. No. 0.047;
Matches 13; Conservative 5; Mismatches 9; Indels 0; Gaps 0;

Qy 1 HSDGTFTSELSRLRESARLQRLLQGLV 27 || || || || : | : | | : | : Db 1 HSQGTFTSDYSKYLDSRRAQDFVQWLM 27

Search completed: March 16, 2005, 12:45:51

Job time : 93 secs